

Certified, Filed and or Recorded on
Nov. 04, 2008 AT 12:35PM

Signed: BW
MARILYN J NOVAK G V I
BENTON COUNTY MINNESOTA
MARILYN J NOVAK
COUNTY RECORDER

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER



NORTHEAST Corner of Section 29, Township 38, Range 29
4TH Principal Meridian, State of Minnesota, County of Benton

At the corner location shown on the sketch:

On 10-30-08 found a CAST IRON MONUMENT

left monument as found lowered monument removed monument (explain)

On _____ placed an _____



Statement of evidence for this corner location is on back of this page.

I hereby certify that this document was researched and prepared by me or under my direct supervision and that I am a licensed Land Surveyor under the laws of the State of Minnesota.

Signature [Handwritten Signature]
Deputy County Surveyor
License No. 43932

Date: 11/3/08

Benton County Surveyor's Office
 Chris Hognlund, Deputy County Surveyor
 Minnesota License No. 43932

Statement of Evidence:

B292


Northeast Corner of Section 29, Township 38 North, Range 29 West, Alberta Township,
 4th Principal Meridian, Benton County, Minnesota.

- 1855 Original US General Land Office survey set a wood post at this location and bearing trees were recorded.
- | | | |
|-----------|----------|----------|
| 13" Sugar | S 62 E | 29 links |
| 12" Aspen | N 66 ½ W | 11 links |
- 1981 Paul Wellen, LS 10461, found a ¾" I.P. in the centerline of a road east/west and a fence line south. He replaced it with a cast iron monument and filed a Certificate of Location (#160210).
- 2001 Westwood Professional Services, Inc. found a cast iron monument at the centerline of an east/west road and a fence line south.
 County Coordinates Obtained by GPS (Cast Iron Monument)
 NAD 83 (1996 Adjustment)
 N-174989.712
 E-521392.267
- 2002 No resurvey information was found on this corner in the Benton County records.
- 2008 Westwood Professional Services, Inc. found a cast iron monument at the centerline of an east/west road and a fence line south. Coordinates obtained by GPS coincide with 2001 position. CIM is accepted as marking the obliterated position for this corner.

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

I hereby certify that on the 21st day of July, 19 81
I did find the northeast corner of Section 29,
Twp. 38, Rg. 29, Benton County, Minnesota, which
was evidenced by 3/4 inch iron pipe in the center line of an east-west
road and opposite a fence line south.

I further certify that in order to perpetuate said corner I did
at the exact location thereof place a permanent marker consisting
of a Benton County Cast Iron Monument and that
I did establish witness or reference monuments as shown below:



160210

I hereby certify that the above
is true and correct and that I am
a registered Land Surveyor under
the laws of the State of Minnesota.

Jay G. Miller
Minn. Registration No. 10461

Office of the County Recorder,
Benton County, Minn.

I hereby certify that the within instrument
was filed for record in this office on the
10th day of September, 1981 at 2 P.M.

F.A. Johnson
County Recorder

By _____ Deputy.