

Certified, Filed and or Recorded on  
Oct. 31, 2008 AT 08:27AM


Signed: M  
MARILYN J NOVAK G V  
BENTON COUNTY MINNESOTA  
MARILYN J NOVAK  
COUNTY RECORDER

### CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

EAST QUARTER Corner of Section 11, Township 38, Range 31  
4TH Principal Meridian, State of Minnesota, County of Benton

At the corner location shown on the sketch:

- On 8-7-08 found a CAST IRON MON
- left monument as found       lowered monument       removed monument (explain)
- On \_\_\_\_\_ placed an \_\_\_\_\_



Statement of evidence for this corner location is on back of this page.

I hereby certify that this document was researched and prepared by me or under my direct supervision and that I am a licensed Land Surveyor under the laws of the State of Minnesota.

Signature: [Handwritten Signature]  
Deputy County Surveyor  
License No. 43932

Date: 10/14/08

Benton County Surveyor's Office  
 Chris Hogleund, Deputy County Surveyor  
 Minnesota License No. 43932

**Statement of Evidence:****D113**

East Quarter Corner of Section 11, Township 38 North, Range 31 West, East Langola Township, 4<sup>th</sup> Principal Meridian, Benton County, Minnesota.


- 1852 Original US General Land Office survey set a wood post in a mound with pit 8 links east at the corner location.
- 1873 County Surveyor's Record Book 2, Page 79 contains a road survey by C. Feller that states road laid out south and east from this corner.
- 1879 County Surveyor's Record Book 2, Page 80 contains a road survey by Richard Cronk for a town road laid out from this corner.
- 1934 County Engineer's Notebook No. 74 contains survey for Road "O" running from north to west. Notes corner as a spike with roads running east to west. Stationing gives distances of 5278.3 feet to the East  $\frac{1}{4}$  corner Sec. 12 and 5374.3 feet to the West  $\frac{1}{4}$  corner.  
 County Surveyor's Record Book 2, page 106, Elletson notes a hub at the corner location with the same ties.
- |    |    |      |
|----|----|------|
| FP | NE | 35.2 |
| TP | NE | 32.3 |
- 1999 William Lunser, LS 9394, set a cast iron monument at the intersection of the centerlines of roads east/west/south. He filed a Certificate of Location (#262730) and notes a distance of 5379.32 feet to the West  $\frac{1}{4}$  corner Sec 11 and a distance of 2656.84 feet to the NE corner Sec 14.
- 2008 Westwood Professional Services, Inc. found a CIM at the intersection of the centerlines of roads east/west/south. When comparing distances to 1934 County Engineer records, this position fit within 3-5 feet. The CIM is accepted as marking the obliterated position.  
 County Coordinates Obtained by GPS  
 NAD 83 (1996 Adjustment)  
 N- 188250.478  
 E- 473275.413

# CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

EAST QUARTER corner of Section 11, Township 38, Range 31, 4th P.M.  
Benton County, Minnesota.

On Mar 24, 1999, A Benton Co, Cast Iron Monument (C.I.M.) was placed at this location.

## SKETCH OF REFERENCE TIES



Statement of evidence relative to this corner location on back of page

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

*William F. Lunser* 11/1/99

William F. Lunser, L.S. Date  
Mn Reg No 9394

OFFICE OF THE COUNTY RECORDER  
Benton County, Minnesota  
I hereby certify that this document was filed in this office at \_\_\_\_\_ M. on the \_\_\_\_\_ day of \_\_\_\_\_, 19\_\_\_\_.

County Recorder \_\_\_\_\_

By \_\_\_\_\_, Deputy


DOCUMENT NO. \_\_\_\_\_

STATEMENT OF EVIDENCE:

No records were found to indicate use or remonumentation of this corner after its original placement by the U.S. Government Survey.

A search of the area failed to uncover the marker. Occupation lines consist of centerlines of roads south, west and east.

After comparing measured distances to those of the G.L.O. I consider this corner to be obliterated with the intersection of the road centerlines servings as its accessory.



William F. Lunser, L.S.

262730

OFFICE OF  
BENTON COUNTY RECORDER  
BENTON COUNTY, ILL.  
CERTIFIED TO BE FILED  
AND FOR RECORDATION

Dec 1 8 52 AM '99

ALICE C. EISENBAUER  
COUNTY RECORDER

BY  ~~DEPUTY~~