

Certified, Filed and or Recorded on  
Sep. 23, 2008 AT 01:36PM

Signed: BW  
MARILYN J NOVAK G V  
BENTON COUNTY MINNESOTA  
MARILYN J NOVAK  
COUNTY RECORDER

# CERTIFICATE OF LOCATION OF GOVERNMENT CORNER


N/4 Corner of Section 7, Township 38, Range 31  
4TH Principal Meridian, State of Minnesota, County of Benton

At the corner location shown on the sketch:

On 8-13-08 found a 1/4" IRON BOLT

left monument as found       lowered monument       removed monument (explain)

On \_\_\_\_\_ placed an \_\_\_\_\_



Statement of evidence for this corner location is on back of this page.

I hereby certify that this document was researched and prepared by me or under my direct supervision and that I am a licensed Land Surveyor under the laws of the State of Minnesota.

Signature [Handwritten Signature]  
Deputy County Surveyor  
License No. 43932

Date: 8/29/08

Benton County Surveyor's Office  
 Chris Hoglund, Deputy County Surveyor  
 Minnesota License No. 43932

**Statement of Evidence:**

**D071**

North Quarter Corner of Section 7, Township 38 North, Range 31 West, East Langola Township, 4<sup>th</sup> Principal Meridian, Benton County, Minnesota.

- 1852 Original US General Land Office survey set a wood post in a mound at the corner location.
- 1941 County Surveyor's Record Book 2, page 98, HG Elletson, County Engineer, notes an iron at the corner with the following ties:
- |           |      |
|-----------|------|
| 8" Oak NE | 74.2 |
| 6" Oak N  | 79.3 |
- He gives a distance of 5593.0 feet between section corners, with the ¼ corner being 2632.0 feet west of the NE corner.
- 1990 David Regan, LS 12236, found a 1 ¼ " iron bolt in the centerline of a road and on a fence line north. A Certificate of Location (#201749) was filed.
- 2003 6/25/03 Surveying & Engineering Professionals, Inc. found a 1 ¼ " iron bolt. Measured 2630.78 feet to the NE corner of Section 7 and 2956.73 feet to the NW corner of Section 7.  
 Distances indicate that the bolt found was probably set by Elletson.  
 County Coordinates determined from SEPI traverse  
 NAD 83 (1996 Adjustment)  
 N - 190862.724  
 E - 449120.337
- 2008 Westwood Professional Services, Inc. found a 1¼" iron bolt at the intersection of the centerline of 165<sup>th</sup> St. NW and a fence to the north. Measured 2630.78 feet to the NE corner of Section 7 and 2956.73 feet to the NW corner of Section 7. This location fits within ~2.5 feet of a proportioned position based on HG Elletson's 1941 notes. Accepted bolt as marking the obliterated position.  
 County Coordinates obtained from GPS:  
 NAD 83 (1996 Adjustment)  
 N - 190862.724  
 E - 449120.337


# CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

NORTH  $\frac{1}{4}$  Corner of Section 7, Township 38, Range 31, 4th P.M.  
STATE OF MINNESOTA, County of BENTON

At the corner location shown on the sketch:

- On 5/31/90 found a  $\frac{1}{4}$ " iron bolt in center line of Twp. Road on fence line north  
DATE
- left monument as found,  lowered monument,  removed monument (explain)
- On \_\_\_\_\_ placed a \_\_\_\_\_  
DATE

### SKETCH OF REFERENCE TIES



Statement of evidence relative to this corner location is on back of page.

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

David P. Regan 3/13/91  
SIGNATURE DATE

Registration No. 12236

- Land Surveyor,  Professional Engineer
- County Surveyor,  County Engineer

### OFFICE OF THE REGISTER OF DEEDS

County of \_\_\_\_\_

I hereby certify that this document was filed in the Reg. of Deeds office at \_\_\_\_\_ .M. on the \_\_\_\_\_ day of \_\_\_\_\_ A.D., 19 \_\_\_\_\_

Register of Deeds \_\_\_\_\_

By \_\_\_\_\_, Deputy

DOCUMENT NO. \_\_\_\_\_

Statement of Evidence:

The G.L.O. survey was done in 1852 by Edwin James.

The County Surveyors records in Book 2, page 98 shows a "iron" at this corner.

On 5/90, Regan Land Surveyors, Inc. searched and dug the area and found  $1\frac{1}{4}$  inch iron bolt at this corner and made ties.

201749

OFFICE OF  
BENTON COUNTY RECORDER  
BENTON COUNTY, MN  
CERTIFIED TO BE FILED  
AND/OR RECORDED ON

MAR 19 12 16 PM '91

ALICE G. EMBELMEYER  
COUNTY RECORDER

BY     *See*     DEPUTY