

Certified, Filed and or Recorded on
Sep. 23, 2008 AT 01:37PM


Signed: BW
MARILYN J NOVAK G V
BENTON COUNTY MINNESOTA
MARILYN J NOVAK
COUNTY RECORDER

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

N¹/₄ Corner of Section 14, Township 38, Range 31
4TH Principal Meridian, State of Minnesota, County of Benton

At the corner location shown on the sketch:

- On 8-7-08 found a CAST IRON MON
- left monument as found lowered monument removed monument (explain)
- On _____ placed an _____



Statement of evidence for this corner location is on back of this page.

I hereby certify that this document was researched and prepared by me or under my direct supervision and that I am a licensed Land Surveyor under the laws of the State of Minnesota.

Signature [Handwritten Signature]
Deputy County Surveyor
License No. 43932

Date: 8/29/08

Statement of Evidence:**D141**

North Quarter Corner of Section 14, Township 38 North, Range 31 West, East Langola Township, 4th Principal Meridian, Benton County, Minnesota.



- 1852 Original US General Land Office survey set a wood post in a mound with a pit 8 links east at the corner location.
- 1999 William Lunser, LS 9394, set a cast iron monument at the intersection of a fence line north/south and a ridgeline east. He filed a Certificate of Location (#262729) and notes a distance of 2677.38 feet to the NE corner Sec 15 and a distance of 2683.40 feet to the NE corner Sec 14.
- 2002 No resurvey information was found on this corner in the Benton County records.
- 2004 Surveying & Engineering Professionals, Inc. found CIM and used for survey in Section 14. Measured 2677.10 feet to the NW corner.
- 2008 Westwood Professional Services, Inc. found a CIM with fence lines running north and south. CIM fits lost position by ~3 feet east/west and ~6.5 north/south. The fence lines and ridge line are longstanding evidence of section line location. Westwood accepted CIM as marking the obliterated position.
County Coordinates obtained from GPS:
NAD 83 (1996 Adjustment)
N - 185628.234
E - 470685.799

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

NORTH QUARTER corner of Section 14, Township 38, Range 31, 4th P.M.
Benton County, Minnesota.

On Mar 24, 1999, A Benton Co, Cast Iron Monument (C.I.M.) was placed at this location.

SKETCH OF REFERENCE TIES



Statement of evidence relative to this corner location on back of page

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

William F. Lunser 11/1/99

William F. Lunser, L.S. Date
Mn Reg No 9394

OFFICE OF THE COUNTY RECORDER
Benton County, Minnesota

I hereby certify that this document was filed in this office at _____.M. on the ____ day of _____, 19____.

County Recorder _____

By _____, Deputy

DOCUMENT NO. _____

STATEMENT OF EVIDENCE:

No records were found to indicate use or remonumentation of this corner after its original placement by the U.S. Government Survey.

A search of the area failed to uncover the marker. Occupation lines consist of fence line north and south and ridge east.

After comparing measured distances to those of the G.L.O. I consider this corner to be obliterated with the fence line and ridge servings as its accessories.


William F. Lunser, L.S.

262729

OFFICE OF
BENTON COUNTY RECORDER
BENTON COUNTY, MN
CERTIFIED TO BE FILED
AND TO BE RECORDED

DEC 1 8 52 AM '99

ALISE G. BRILLIANT
COUNTY RECORDER

BY  DEPUTY