

271520

OFFICE OF  
BENTON COUNTY RECORDER  
BENTON COUNTY, MN  
CERTIFIED TO BE FILED  
AND/OR RECORDED ON

JAN 30 4 03 PM '01

ALICE O. ENGELMEYER  
COUNTY RECORDER

BY mm DEPUTY xm


# CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

NORTH QUARTER Corner of Section 28, Township 38 N, Range 31 W  
4th Principal Meridian, State of Minnesota, County of BENTON

At the corner location shown on the sketch:

- On 11/10/2000 found a 1/2" IRON PIPE  
DATE
- left monument as found     lowered monument     removed monument (explain)
- On 11/24/2000 placed a STANDARD BENTON COUNTY CAST IRON MONUMENT OVER  
DATE  
THE FOUND 1/2" IRON PIPE

Note: Bearings to ties are approximate.



Statement of evidence for this corner location is on back of this page.

I hereby certify that this document was researched and prepared by me or under my direct supervision.

Signature Samuel J. Deleo Date 1-15-2001 License No. 40341

Title:  Land Surveyor     Professional Engineer     County Surveyor     County Engineer

Statement of Evidence

North Quarter Corner of Section 28, Twp. 38 N, Rng. 31 W  
4<sup>th</sup> P.M., Benton County, Minnesota

Copies of notes from the original GLO survey, located in the office of the Benton County Highway Department, state that a wood post was set to mark the corner, midway at 40.37 Chains from the NE Corner of Sec. 28.

Three reference ties were made:

10" Bur Oak, S 33 ½ Deg. W, 32 Links.

8" Bur oak, N 1 Deg. W, 115 Links.

44.75 Chains from the NE Corner of Sec. 28 to Little Rock Creek, 30 Links wide.

October 1976; William Lunser, RLS #9394, established the location of the corner by evidence of fence lines to the north, west, and east. A ½" iron pipe was set and reference ties were recorded. A Certificate of Location of Government Corner was filed with the Benton County Recorder, Doc. # 147069.

November 2000; Sam DeLeo, RLS #40341, found a ½" iron pipe at the intersection of the existing fence lines to the north. An old spike and a double blaze was found in the face of a 48" Basswood tree 45.43' easterly of the found iron pipe. A Benton County cast iron monument was set over the ½" pipe. New ties were recorded and a new Certificate of Location of Government Corner was made.

# CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

n/4 (Restored) Corner of Section 28, Township 38, Range 31, \_\_\_\_\_ P.M.

STATE OF MINNESOTA, County of Benton

At the corner location shown on the sketch:

On 10-19-1976 found a \_\_\_\_\_ fence lines to the north, west & east  
DATE

left monument as found,  lowered monument,  removed monument (explain)

On \_\_\_\_\_ placed a 1/2 iron pipe  
DATE

## SKETCH OF REFERENCE TIES



Statement of evidence relative to this corner location is on back of page.

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

William T. Lunsar \_\_\_\_\_ 10-19-77  
SIGNATURE DATE

Registration No. 9394

Land Surveyor,  Professional Engineer

County Surveyor,  County Engineer

OFFICE OF THE REGISTER OF DEEDS  
County of Benton *County Recorder*

I hereby certify that this document was filed in the Reg. of Deeds office at 9 A. .M. on the 20th day of December A.D., 1977


Register of Deeds T. G. Johnson  
By \_\_\_\_\_, Deputy  
*County Recorder*

DOCUMENT NO. 147069

# CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

I hereby certify that on the 19 day of Oct., 1976  
 I did restore the N $\frac{1}{4}$  corner of Section 28,  
 Twp. 38, Rg. 31, Benton County, Minnesota, which  
 was evidenced by fence lines to the north, west & east

I further certify that in order to perpetuate said corner I did  
 at the exact location thereof place a permanent marker consisting  
 of  $\frac{1}{2}$  iron pipe and that  
 I did establish witness or reference monuments as shown below:



147069

I hereby certify that the above is true and correct and that I am a registered Land Surveyor under the laws of the State of Minnesota.

William F. Larson

Minn. Registration No. 9394

County Recorded  
 Office of the Register of Deeds,  
Benton County, Minn.

I hereby certify that the within instrument was filed for record in this office on the 20 day of December, 1977 at 9 A.M.

F. G. Johnson  
 Register of Deeds

By County Recorder Deputy.