

MARILYN J. NOVAK  
COUNTY RECORDER

BY CK DEPUTY

OFFICE OF  
BENTON COUNTY RECORDER  
BENTON COUNTY, MN  
CERTIFIED TO BE FILED  
AND/OR RECORDED ON

293728

2002 DEC 31 P 3: 56

### CERTIFICATE OF LOCATION OF GOVERNMENT CORNER


North Quarter Corner of Section 32, Township 38, Range 31  
4TH Principal Meridian, State of Minnesota, County of BENTON

At the corner location shown on the sketch:

On 7/19/01 found a cast iron monument  
DATE

left monument as found     lowered monument     removed monument (explain)

On 11/15/02 placed a PK at the location of the cast iron monument  
DATE



New tree and power pole ties are to the head of a nail with a brass disk marked "Corner Tie".

Statement of evidence for this corner location is on back of this page.

I hereby certify that this document was researched and prepared by me or under my direct supervision and that I am a licensed Land Surveyor under the laws of the State of Minnesota.

Signature [Signature] Date 11/27/02 License No. 12684

Title:  Land Surveyor     Professional Engineer     County Surveyor     County Engineer

**Statement of Evidence:**

**D321**

The North Quarter Corner of Section 32, Township 38 North, Range 31 West, East Langola Township, 4<sup>th</sup> Principal Meridian, Benton County, Minnesota.

In June 1852, Edwin James Jr. set a wood post in a mound at this location. A distance of 40.50 chains was measured to both the NE and NW Corners of Section 32.

This corner is noted on the following recorded plats

<i>LONG'S SUBDIVISION</i>	9/18/1903	J.P. Soderstrum	stake
<i>JOS JANSONS FIRST ADDITION TO THE VILLAGE OF RICE</i>	4/6/1912	Felix Parent	
<i>WILDWOOD WEST</i>	1/4/1979	William Lunser	
<i>MCNEALS</i>	8/20/1992	Paul E. Wellen	CIM

The County Surveyors records in Book 2, page 144 show a hub at the corner with the following reference ties.

FP	SW	39.3
FP	N	32.7

On June 20, 1978 Ronald Engelmeyer found a 3/4" iron pin and filed a Certificate of Location (#151567).

On September 19, 1985 William Lunser set a cast iron monument at the location of the 3/4" iron pin and filed a Certificate of Location (#191263).

On July 19, 2001 Westwood Professional Services, Inc. found a cast iron monument at the corner location.

In April 2002 Westwood Professional Services, Inc. located monuments along County Road 2, prior to road construction, using GPS.

On November 15, 2002 Westwood Professional Services, Inc. set a PK at the location of the cast iron monument after the road construction.

County Coordinates Obtained by GPS

NAD 83 (1996 Adjustment)

N-169575.309

E-454798.881

73-18  
14-68

P. 2-38-51

Index No. UP-DATE

# CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

North Quarter Corner of Section 32, Township 38, Range 31, 4th. P.M.

STATE OF MINNESOTA, County of Benton


At the corner location shown on the sketch:

On 6-20-1978 found a 3/4" Iron Pin  
DATE

left monument as found,  lowered monument,  removed monument (explain)

On 9-19-1985 placed a Cast Iron Monument  
DATE

## SKETCH OF REFERENCE TIES



Statement of evidence relative to this corner location is on back of page.

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

William J. Linn 12/19/88  
SIGNATURE DATE

Registration No. 9394

- Land Surveyor,  Professional Engineer
- County Surveyor,  County Engineer

OFFICE OF THE REGISTER OF DEEDS  
County of \_\_\_\_\_

I hereby certify that this document was filed in the Reg. of Deeds office at \_\_\_\_\_ .M. on the \_\_\_\_\_ day of \_\_\_\_\_ A.D., 19 \_\_\_\_\_

Register of Deeds \_\_\_\_\_

By \_\_\_\_\_, Deputy

DOCUMENT NO. \_\_\_\_\_

Statement of Evidence:

1 9 1 2 6 3

OFFICE OF  
BENTON COUNTY RECORDER  
BENTON COUNTY, MN  
CERTIFIED TO BE FILED  
AND/OR RECORDED ON

JAN 12 12 08 PM '89

ALICE C. ENGELMEYER  
COUNTY RECORDER

BY Jew DEPUTY

# CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

North Quarter \_\_\_\_\_ Corner of Section 32, Township 38, Range 31, 4th P.M.

STATE OF MINNESOTA, County of Benton

At the corner location shown on the sketch:

On 6-20-78 found a 3/4" iron pin  
DATE left as it was

left monument as found,  lowered monument,  removed monument (explain)

On \_\_\_\_\_ placed a \_\_\_\_\_  
DATE

## SKETCH OF REFERENCE TIES



Refer to next page

Statement of evidence relative to this corner location is on back of page.

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

Ronald Engelmeyer  
SIGNATURE DATE

Registration No. 13334

Land Surveyor,  Professional Engineer

County Surveyor,  County Engineer

County Recorder  
~~REGISTER OF DEEDS~~  
OFFICE OF THE REGISTER OF DEEDS  
County of Benton

I hereby certify that this document was filed in the Reg. of Deeds office at 9 A: .M. on the 21 day of February A.D., 19 79

Register of Deeds F. A. Johnson

By \_\_\_\_\_, Deputy


DOCUMENT NO. 151567

10  
131-78

# CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

I hereby certify that on the 20 day of JUNE, 1978  
I did FIND the NORTH QUARTER corner of Section 32,  
Twp. 38, Rg. 31, BENTON County, Minnesota, which  
was evidenced by 3/4" IRON PIN

I further certify that in order to perpetuate said corner I did  
at the exact location thereof place a permanent marker consisting  
of LEFT AS IT WAS. and that  
I did establish witness or reference monuments as shown below:



151567

I hereby certify that the above is true and correct and that I am a registered Land Surveyor under the laws of the State of Minnesota.

[Signature]  
Minn. Registration No. 13334

County Recorder  
Office of the ~~Register of Deeds~~,  
Benton County, Minn.

I hereby certify that the within instrument was filed for record in this office on the 21 day of February, 1979. 9 a.m.

F.A. Johnson  
~~Register of Deeds~~ County Recorder  
By \_\_\_\_\_ Deputy.