

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Northeast _____ Corner of Section 26, Township 38, Range 31 4th _____ P.M.

STATE OF MINNESOTA, County of Benton

At the corner location shown on the sketch:

On _____ found a _____
DATE

left monument as found, lowered monument, removed monument (explain)

On 4/4/77 placed a 1/2 iron pipe
DATE

SKETCH OF REFERENCE TIES



Statement of evidence relative to this corner location is on back of page. #147257

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

Paul E. Wellen _____ 12-19-77
SIGNATURE DATE

Registration No. 10461

Land Surveyor, Professional Engineer

County Surveyor, County Engineer

County Recorder
OFFICE OF THE ~~REGISTER OF DEEDS~~
County of Benton
County Recorder

I hereby certify that this document was filed in the Reg. of Deeds office at 4 P: .M. on the 10th day of January A.D., 19 78

Register of Deeds F. A. Johnson
County Recorder

By A.E., Deputy

DOCUMENT NO. _____

Statement of Evidence:

Set an ½" iron pipe in the intersection of roads north, south, east and West.

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

NORTHEAST Corner of Section 26, Township 38, Range 31, 4th P.M.

STATE OF MINNESOTA, County of BENTON


At the corner location shown on the sketch:

On _____ found a _____
DATE

left monument as found, lowered monument, removed monument (explain)

On 4/4/77 placed a 1/2" iron pipe
DATE

SKETCH OF REFERENCE TIES



Statement of evidence relative to this corner location is on back of page. 147257

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

[Signature] 12/19/77
SIGNATURE DATE

Registration No. 10461

- Land Surveyor, Professional Engineer
- County Surveyor, County Engineer

OFFICE OF THE REGISTER OF DEEDS

County of Benton

I hereby certify that this document was filed in the Reg. of Deeds office at 4 P. .M. on the 10th day of January A.D., 19 78

Register of Deeds [Signature]

By [Signature], Deputy

DOCUMENT NO. _____

Set an $\frac{1}{2}$ " iron pipe in the intersection of roads north, south, east and west.