

Certified, Filed and or Recorded on
Nov. 05, 2008 AT 08:15AM

Signed: JL
MARILYN NOVAK G V I
BENTON COUNTY MINNESOTA
MARILYN J NOVAK
COUNTY RECORDER

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER


EAST QUARTER Corner of Section 2, Township 38, Range 30
4TH Principal Meridian, State of Minnesota, County of Benton

At the corner location shown on the sketch:

On 10-20-08 found a CAST IRON MONUMENT

left monument as found lowered monument removed monument (explain)

On _____ placed an _____



Statement of evidence for this corner location is on back of this page.

I hereby certify that this document was researched and prepared by me or under my direct supervision and that I am a licensed Land Surveyor under the laws of the State of Minnesota.

Signature [Handwritten Signature]
Deputy County Surveyor
License No. 43932

Date: 11/3/08

Benton County Surveyor's Office
 Chris Heglund, Deputy County Surveyor
 Minnesota License No. 43932

Statement of Evidence:

C023

East Quarter Corner of Section 2, Township 38 North, Range 30 West, Graham Township, 4th Principal Meridian, Benton County, Minnesota.

- 1852 Original US General Land Office set a wood post at this location and bearing trees were recorded:
- | | | |
|------------|--------|----------|
| 3" Blk Oak | S 9 E | 34 links |
| 3" Blk Oak | S 85 W | 22 links |
- 1908 County Surveyor's Record Book 2, page 162, shows a survey of Section 2 by M.J. Cleveland notes a distance of 40.90 chains (2699.40 feet) to the NE corner Sec. 2 and a distance of 40.79 chains (2692.14 feet) to the SE corner Sec. 2. He established the corner by lost method at proportionate measurement.
- 1990 Paul Wellen, LS 10461, found a 1" X 24" Iron Pin at the intersection of a fence line west and the northerly extension of County Road 41. He replaced the iron pin with a cast iron monument and filed a Certificate of Location (Doc. No. 199551). His notes also show he found the iron in 1988 with distances of 2691.20 feet to the NE corner of Section 2 and 2686.92 feet to the SE corner of Section 2, which is the lost position. Other record shows his distances as 2682.04 feet to the SE corner and 2688.75 feet to the NE corner.
- 2008 Westwood Professional Services, Inc. found a CIM at the corner location fitting 1990 Wellen ties. Measured 2691.26 feet to the NE corner and 2686.93 feet to the SE corner of Section 2. CIM is accepted as marking the obliterated position for this corner.
- County Coordinates Obtained by GPS
 NAD 83 (1996 Adjustment)
 N-193829.625
 E-504864.872


CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

East Quarter Corner of Section 2, Township 38N, Range 30W, 4th P.M.
STATE OF MINNESOTA, County of Benton

At the corner location shown on the sketch:

- On 6/7/90 found a 1" x 24" iron pin
DATE
- left monument as found, lowered monument, removed monument (explain)
- On 6/7/90 placed a cast iron monument
DATE

SKETCH OF REFERENCE TIES



Statement of evidence relative to this corner location is on back of page.

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

[Signature] 7/30/90
SIGNATURE DATE

Registration No. 10461
 Land Surveyor, Professional Engineer
 County Surveyor, County Engineer

OFFICE OF THE COUNTY RECORDER
County of _____

I hereby certify that this document was filed in the Co. Recorders office at _____ .M. on the _____ day of _____ A.D., 19 _____

County Recorder _____
By _____, Deputy
DOCUMENT NO. _____

Statement of Evidence:

East quarter corner, Section 2, Township
38 North, Range 30 West, 4th Principal Meridian.

1. During the G.L.O. Survey of 1852, Mr. Edwin James Jr. a U.S. Deputy Surveyor set a wood post to mark this corner.
2. Benton County's old surveyor's books provided no information to the location of this corner.
3. On June 7, 1990, Paul E. Wellen & Associates, Inc. found a 1" solid iron pin, 24" long at the intersection of a fence line west with the northerly extension of the center line of Benton County Road 41. We removed said iron pin and placed a cast iron monument at this location. We established new reference ties as indicated.

199551

OFFICE OF
BENTON COUNTY RECORDER
BENTON COUNTY, MN
CERTIFIED TO BE FILED
AND/OR RECORDED ON

SEP 27 11 31 AM '90

ALICE C. ENGELMEYER
COUNTY RECORDER

Alice C. Engelmeier