

Certified, Filed and or Recorded on
Nov. 05, 2008 AT 08:18AM

Signed: JM
MARILYN J NOVAK G V I
BENTON COUNTY MINNESOTA
MARILYN J NOVAK
COUNTY RECORDER

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

NORTH EAST Corner of Section 23, Township 38, Range 30


4TH Principal Meridian, State of Minnesota, County of Benton

At the corner location shown on the sketch:

On 10-21-08 found a CAST IRON MONUMENT

left monument as found lowered monument removed monument (explain)

On _____ placed an _____



Statement of evidence for this corner location is on back of this page.

I hereby certify that this document was researched and prepared by me or under my direct supervision and that I am a licensed Land Surveyor under the laws of the State of Minnesota.

Signature [Handwritten Signature]
Deputy County Surveyor
License No. 43932

Date: 11/3/08

Benton County Surveyor's Office
Chris Hogleund, Deputy County Surveyor
Minnesota License No. 43932

Statement of Evidence:

C232

Northeast Corner of Section 23, Township 38 North, Range 30 West, Graham Township,
4th Principal Meridian, Benton County, Minnesota.

- 1852 Original US General Land Office survey set a wood post at this location and bearing trees were recorded.
- | | | |
|-----------|------------|----------|
| 8" Maple | S 12 1/2 W | 7 links |
| 13" Aspen | N 9 W | 15 links |
- 1914 County Road Book, page 120, contains a road survey by M. J. Cleveland, District Engineer, for State Road No. 7. Survey shows set 1 1/4 " gas pipe in place of old post. Tie: T.P. S 43 W 39 feet
- 1931 County Engineer's Notebook No. 81 for survey of SAR 12 running west from this corner. Corner is shown as a 5" x 7" stone monument in center of road with same ties as in 1949. County Engineer's notebook No. 65 contains road survey for SAR No. 12 running east from this corner. Corner is shown as a granite monument with same ties as 1949.
- 1944 County Engineer's Notebook No. 164 contains a road survey for CAR 25 running south to north on section line. Corner is shown marked by a hub set over rock in center of SAR 12. Ties same as listed in 1949 below.
- 1949 County Highway Engineer, H. G. Elletson, notes a hub over a stone with the following reference ties.
- | | | |
|--------------|----|------|
| Culvert wall | NE | 47.3 |
| Culvert wall | SE | 47.9 |
- 1959 County Surveyor's Record Book 2, page 202 shows an iron over a stone with the following reference ties:
- | | | |
|--------------|----|------|
| P.P. | NE | 52.3 |
| P.P. | SE | 79.8 |
| NE Cor Store | SW | 49.4 |
- Same information is contained in County Engineer's Notebook No. 220 that notes iron over granite monument.
- 1983 David Regan, LS 12236, found a 1" solid iron pin over a wood stake and stone at the intersection of the centerlines of County Road 12 (running east and west) and County Road 41 (running north and south). He set a cast iron monument over the stone and established new reference ties. A Certificate of Location was filed (#166047).
- 2001 Westwood Professional Services, Inc. found a cast iron monument, that fits with the 1959 and 1983 ties, at the intersection of the centerlines of County Road 12 (running east and west) and County Road 41 (running north and south) and established coordinates prior to overlay project. County Coordinates Obtained by GPS
NAD 83 (1996 Adjustment)
N-180424.692
E-505338.363
- 2008 Westwood Professional Services, Inc. found a cast iron monument, that fits with the 1959 and 1983 ties, at the intersection of the centerlines of County Road 12 (running east and west) and County Road 41 (running north and south). County Coordinates Obtained by GPS coincide with 2001 position.

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER


Northeast Corner of Section 23, Township 38, Range 30, 4th P.M.

STATE OF MINNESOTA, County of Benton

At the corner location shown on the sketch:

- On 4/29/83 found a 1 inch solid iron pin over wood stake and stone ^{DATE} in center line of roads north, south, east and west
 - left monument as found, lowered monument, removed monument (explain)
- On 4/29/83 placed a Benton County cast iron monument over stone ^{DATE}

SKETCH OF REFERENCE TIES



Statement of evidence relative to this corner location is on back of page.

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

David S. Ryan 7/14/83
SIGNATURE DATE

Registration No. 12236

- Land Surveyor, Professional Engineer
- County Surveyor, County Engineer

County Recorder
OFFICE OF THE REGISTER OF DEEDS
County of Benton

I hereby certify that this document was filed in the Reg. of Deeds office at 11 A.M. on the 25 day of July A.D., 1983
Co. Recorder
Register of Deeds F. A. Johnson

By _____, Deputy

DOCUMENT NO. 166047