

Certified, Filed and or Recorded on
Dec. 16, 2008 AT 01:55PM

Signed: BW
MARILYN J NOVAK B V I
BENTON COUNTY MINNESOTA
MARILYN J NOVAK
COUNTY RECORDER

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER


EAST QUARTER Corner of Section 27, Township 37N, Range 30W
4TH Principal Meridian, State of Minnesota, County of Benton

At the corner location shown on the sketch:

On 11/13/08 found a 1/2" OPEN IRON PIPE DOWN 0.1'

left monument as found lowered monument removed monument (explain)

On _____ placed an _____



Statement of evidence for this corner location is on back of this page.

I hereby certify that this document was researched and prepared by me or under my direct supervision and that I am a licensed Land Surveyor under the laws of the State of Minnesota.

Signature M Lewis
Deputy Benton County Surveyor
License No. 46170

Date: 12/12/08

PAGE 1 OF 2

Benton County Surveyor's Office
 Nancy H. Lewis, Deputy County Surveyor
 Minnesota License No. 46170

Statement of Evidence:

G273

East Quarter Corner of Section 27, Township 37 North, Range 30 West, Mayhew Lake Township, 4th Principal Meridian, Benton County, Minnesota.

- 1852 Original US General Land Office survey set a wood post at this location and bearing trees were recorded.
- | | | |
|-------------|--------|----------|
| 10" Blk Oak | N 76 E | 50 links |
| 10" Aspen | N 43 W | 62 links |
- 1890 County Road Book, page 32, contains Surveyor's Report by Felix Parrent stating road laid out on section line south and north from this corner. Gives 80.07 chains for the east line of Section 27.
- 1990 Paul Wellen, LS 10461, set a cast iron monument at the centerline of a road north/south and east/west. He filed a Certificate of Location (#201463).
- 2002 County Coordinates Obtained by GPS to CIM
 NAD 83 (1996 Adjustment)
 N- 140180.788
 E- 500107.644
- 2008 The County Surveyor's Office searched and found a 1/2" iron pipe at the intersection of an east-west gravel road (70th Street N.E.) and a north-south gravel road (55th Avenue N.E.) A tie to a SE Telephone post agrees with Wellen's 1990 tie to same. Position gives distances to the NE Cor. and SE Cor. of 2657.47 feet and 2642.09 feet for an east line distance of 5299.56 feet (80.29 ch.), which agrees reasonably well with Parrent's 1890 distance of 80.07 chains (5284.62 feet). Surveyor accepts the iron pipe and updated ties. The 2002 coordinates were verified.

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

EAST 1/4 Corner of Section 27, Township 37, Range 30, 4TH P.M.

STATE OF MINNESOTA, County of BENTON


At the corner location shown on the sketch:

On _____ found a _____
DATE

left monument as found, lowered monument, removed monument (explain)

On 9/18/90 placed a COUNTY MONUMENT
DATE

SKETCH OF REFERENCE TIES



Statement of evidence relative to this corner location is on back of page.

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

[Signature] 1/14/91
SIGNATURE DATE

Registration No. 10461

- Land Surveyor, Professional Engineer
- County Surveyor, County Engineer

OFFICE OF THE COUNTY RECORDER
County of _____

I hereby certify that this document was filed in the Co. Recorders office at _____ .M. on the _____ day of _____ A.D., 19 _____

County Recorder _____

By _____, Deputy

DOCUMENT NO. _____

Statement of Evidence:

East 1/4 corner, of Section 27, T
37 N, R 30 W, of the 4th Principal Meridian.

1. During the G.L.O. Survey of 1852, Mr. Edwin James Jr., a U.S. Deputy Surveyor, set a wood post to mark this corner.
2. A search of the Benton County Surveyor records provided no further information for the location of this corner.
3. On September 18, 1990, Paul E. Wellen & Associates, Inc., placed a cast iron monument at the intersection of the center lines of 55th Avenue NE (north-south) and 70th Street NE (east-west). We also established new reference ties as indicated.

201463

OFFICE OF
BENTON COUNTY RECORDER
BENTON COUNTY, MN
CERTIFIED TO BE FILED
AND/OR RECORDED ON

FEB 25 8 17 AM '91

ALICE C. ENGELMEYER
COUNTY RECORDER

BY Jed DEPUTY