

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER


North Quarter _____ Corner of Section 4, Township 37, Range 30, 4th P.M.

STATE OF MINNESOTA, County of Benton

At the corner location shown on the sketch:

- On 7-13-91 found a 1" solid pin on extension of center line roads East, West, and South, and field division North. 1.2' deep on North edge of E-W road.
 - left monument as found, lowered monument, removed monument (explain)
- On _____ placed a _____

SKETCH OF REFERENCE TIES



Statement of evidence relative to this corner location is on back of page.

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

David P. Regan 5/12/94
SIGNATURE DATE

Registration No. 12236

- Land Surveyor, Professional Engineer
- County Surveyor, County Engineer

OFFICE OF THE REGISTER OF DEEDS

County of _____

I hereby certify that this document was filed in the Reg. of Deeds office at _____ .M. on the _____ day of _____ A.D., 19 _____

Register of Deeds _____

By _____, Deputy

DOCUMENT NO. _____

Statement of Evidence:

The G.L.O. survey was done in 1849 by Theodore Conkey.

The County Surveyors records in Book 1 Page 393 show an "iron" at this corner.

On 7/91, Regan Land Surveyors, Inc. searched the area and found a 1 inch solid pin on the extension of centerline roads East, West, and South, and a field division North.

223482

OFFICE OF
BENTON COUNTY RECORDER
BENTON COUNTY, AR
CERTIFIED TO BE FILED
AND/OR RECORDED ON

JUN 17 1 02 PM '94

ALICE G. EGGEMEYER
COUNTY CLERK

BY *[Signature]* DEPUTY


CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

NORTH $\frac{1}{4}$ Corner of Section 4, Township 37, Range 30, 4th P.M.
STATE OF MINNESOTA, County of BENTON

At the corner location shown on the sketch:

- On 7/13/90 found a 1 inch iron pin on extension of center line of east-west road and field division north, 1' deep on north edge on east-west road.
 - left monument as found, lowered monument, removed monument (explain)
- On _____ placed a _____
DATE

SKETCH OF REFERENCE TIES



Statement of evidence relative to this corner location is on back of page.

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

David P. Regan 3/13/91
SIGNATURE DATE

Registration No. 12236

- Land Surveyor, Professional Engineer
- County Surveyor, County Engineer

OFFICE OF THE REGISTER OF DEEDS
County of _____

I hereby certify that this document was filed in the Reg. of Deeds office at _____ .M. on the _____ day of _____ A.D., 19 _____

Register of Deeds _____

By _____, Deputy

DOCUMENT NO. _____

Statement of Evidence:

The G.L.O. survey was done on 1849 by Theodore Conkey.

The County Surveyors records in Book 1, page 373, shows a "iron" at this corner.

On 7/90, Regan Land Surveying, Inc. searched the area and found a 1 inch iron pin at the corner and made ties. . .

201753

OFFICE OF
BENTON COUNTY RECORDER
BENTON COUNTY, MN
CERTIFIED TO BE FILED
AND/OR RECORDED ON

MAR 19 12 20 PM '51

ALICE C. CHELMEYER
COUNTY RECORDER

BY Jed DEPUTY