

Certified, Filed and or Recorded on
Nov. 07, 2008 AT 02:19PM


Signed: [Signature]
MARILYN J NOVAK
BENTON COUNTY MINNESOTA
MARILYN J NOVAK
COUNTY RECORDER

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

NORTH QUARTER Corner of Section 9, Township 37N, Range 30W
4TH Principal Meridian, State of Minnesota, County of Benton

At the corner location shown on the sketch:

- On 10/30/08 found a CAST IRON MONUMENT DOWN 0.6'
- left monument as found lowered monument removed monument (explain)
- On _____ placed an _____



Statement of evidence for this corner location is on back of this page.

I hereby certify that this document was researched and prepared by me or under my direct supervision and that I am a licensed Land Surveyor under the laws of the State of Minnesota.

Signature [Signature]
Deputy Benton County Surveyor
License No. 45872

Date: 11/06/2008

Benton County Surveyor's Office
 Jason W. Oberg, Deputy County Surveyor
 Minnesota License No. 45872

Statement of Evidence:**G091**

North Quarter Corner of Section 9, Township 37 North, Range 30 West, 4th Principal Meridian, Mayhew Lake Township, Benton County, Minnesota.

1852 Original US General Land Office surveyor, Edwin James, established corner marked by a wood post with bearing trees noted as.

12" Bur Oak	N 89 1/2 W	842 links
8" Bur Oak	S 87 W	887 links

1935 County Engineer's Notebook No. 94 contains survey for SAR No. 2 running south to north on 1/4 line. Notes corner as a stone. Ties:

TP	W	28.5
FP	NW	42.0

1962 County Surveyor's Record Book 1, page 403, notes the following reference ties to a stone:

TP	W	48.0
PP	NE	34.6
TP	SW	72.4

(Notebook No. 94 notes the same information showing stone found.)

1992 Paul Wellen, LS 10461, found a fieldstone at the intersection of roads north/south and a fence line east. He replaced it with a cast iron monument and filed Certificate of Location (#216292).

2003 Survey by Sidney Williamson, LS 10918, shows CIM found at corner with a distance of 2666.97 feet to the NE corner of Section 9.

2007 Westwood Professional Services found and located a CIM

2008 The County Surveyor's Office searched and found Wellen's 1992 cast iron monument along the north-south centerline of County Road 58. Distances to the NW and NE Corners gives 2665.13 ft. and 2666.90 ft., respectively. Wellen's cast iron is accepted as marking the best evidence and ties were updated.

County Coordinates Obtained by GPS

NAD 83 (1996 Adjustment)

N- 158819.432

E- 492448.879

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER


NORTH QUARTER Corner of Section 9, Township 37, Range 30, 4TH P.M.

STATE OF MINNESOTA, County of BENTON

At the corner location shown on the sketch:

- On 8-11-92 found a FIELD STONE
DATE
- left monument as found, lowered monument, removed monument (explain)
- On 8-11-92 placed a CAST IRON MOUNUMENT
DATE

SKETCH OF REFERENCE TIES



Statement of evidence relative to this corner location is on back of page.

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

[Signature] 2-16-93
SIGNATURE DATE

Registration No. 10461

- Land Surveyor, Professional Engineer
- County Surveyor, County Engineer

OFFICE OF THE COUNTY RECORDER

County of _____

I hereby certify that this document was filed in the Co. Recorders office at _____ .M. on the _____ day of _____ A.D., 19 _____

County Recorder _____

By _____, Deputy

DOCUMENT NO. _____

Statement of Evidence:

NORTH QUARTER CORNER, SECTION 9, T 37, R 30W, 4TH P.M.

1. During the G.L.O. survey of 1855, Mr. Edwin James Jr., a U.S. Deputy Surveyor, set a wood post to mark said corner.
2. Benton County's old surveyor's books provided that in 1962 a stone was in place.
3. On August 11, 1992, Paul E. Wellen & Associates searched for said corner at East-West fence line and center line of road, and found a stone monument. We accepted the stone monument as evidence of said corner on August 11, 1992, we set a Cast Iron Monument in place of stone monument. Also established new reference ties as indicated.

216292

OFFICE OF
BENTON COUNTY RECORDER
BENTON COUNTY, MN
CERTIFIED TO BE FILED
AND/OR RECORDED ON

JUL 14 1 23 PM '93

ALICE G. ENGEL MEYER
COUNTY RECORDER

BY Jw DEPUTY