

A 372574

Certified, Filed and or Recorded on  
Mar. 02, 2010 AT 03:28PM


Signed: BW  
MARILYN J NOVAK G V I  
BENTON COUNTY MINNESOTA  
MARILYN J NOVAK  
COUNTY RECORDER

### CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

NORTHEAST Corner of Section 13, Township 37, Range 30  
4TH Principal Meridian, State of Minnesota, County of Benton

At the corner location shown on the sketch:

- On June 2008 found a CAST IRON MONUMENT
- left monument as found       lowered monument       removed monument (explain)
- On \_\_\_\_\_ placed an \_\_\_\_\_



Statement of evidence for this corner location is on back of this page.

I hereby certify that this document was researched and prepared by me or under my direct supervision and that I am a licensed Land Surveyor under the laws of the State of Minnesota.

Signature Jessie C. Wittstock  
Benton County Surveyor  
License No. 19552

Date: 3-2-2010

Benton County Surveyor's Office  
 Jerome C. Wittstock, County Surveyor  
 Minnesota License No. 19552

**Statement of Evidence:**

G132

Northeast Corner of Section 13, Township 37 North, Range 30 West, Mayhew Lake Township, 4<sup>th</sup> Principal Meridian, Benton County, Minnesota.

1849 Corner established by Original US General Land Office survey and marked by a wood post with bearing trees noted as.

10" Poplar	N 52 E	11 links
6" Poplar	N 27 W	14 links
6" Poplar	S 63 W	15 links
6" Poplar	S 33 E	21 links

A line tree was noted as a 6" Poplar, South, 20.37 chains.

1899 Road Survey Report by John E. Whilt, County Surveyor, shows survey running west to east on section lines.

1994 Dave Regan, LS 12236, set a 1/2" I.M. at the intersection of a field line east, fence line remains north and the centerline of roads south and west. He filed Certificate of Location (Doc. No. 231244).

2001 Westwood Professional Services, Inc. found an iron pipe capped #12236 at the centerline of roads south and west and a tree line east and 1 foot south of a T-post. The iron pipe was removed and a cast iron monument was set in its place.

2008 Westwood Professional Services, Inc. found a cast iron monument (CIM) at the centerline of roads south and west and a tree line east and 1 foot south of a T-post. Distances north (2696.57) and south (2662.62) measure long of GLO measurement, which is not uncommon to Benton County. Believing the CIM to be the best available evidence, it was accepted as marking the obliterated position and reference ties were recorded as shown.

Coordinates Obtained by GPS

NAD 83 (1996 Adjustment)

N- 153478.166

E- 510844.385

# CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Northeast Quarter \_\_\_\_\_ Corner of Section 13, Township 37, Range 30, 4th P.M.

STATE OF MINNESOTA, County of Benton


At the corner location shown on the sketch:

On \_\_\_\_\_ found a \_\_\_\_\_  
DATE

left monument as found,  lowered monument,  removed monument (explain)

On 8/18/94 placed a  $\frac{1}{2}$ " Iron monument at intersection of field line East, fence line remains North, and centerline road South, & extension centerline road West.  
DATE

SKETCH OF REFERENCE TIES



Statement of evidence relative to this corner location is on back of page.

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

*David G. Regan* 3/27/95  
SIGNATURE DATE

Registration No. 12236

- Land Surveyor,  Professional Engineer
- County Surveyor,  County Engineer

OFFICE OF THE REGISTER OF DEEDS

County of \_\_\_\_\_

I hereby certify that this document was filed in the Reg. of Deeds office at \_\_\_\_\_ .M. on the \_\_\_\_\_ day of \_\_\_\_\_ A.D., 19 \_\_\_\_\_

Register of Deeds \_\_\_\_\_

By \_\_\_\_\_, Deputy

DOCUMENT NO. \_\_\_\_\_

Statement of Evidence:

The G.L.O. survey was done in 1849 by Theodore Conkey.

The County Surveyors records were searched with no reference to this corner.

On 8/94, Regan Land Surveyors, Inc. searched and dug the area, then set a 1/2" iron and made ties.

231244

OFFICE OF  
BENTON COUNTY RECORDER  
BENTON COUNTY, MO  
CERTIFIED TO BE FILED  
AND/OR RECORDED ON

OCT 20 3 02 PM '95

ALICE G. ENGELMEYER  
COUNTY RECORDER

BY MW DEPUTY