

Certified, Filed and or Recorded on
May 06, 2008 AT 01:21PM


Signed: MJ
MARILYN J NOVAK G V ✓
BENTON COUNTY MINNESOTA
MARILYN J NOVAK
COUNTY RECORDER

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

NORTH QUARTER Corner of Section 7, Township 36, Range 30
4TH Principal Meridian, State of Minnesota, County of Benton

At the corner location shown on the sketch:

- On 10 APR. 2008 found a Cast Iron Monument
DATE
- left monument as found lowered monument removed monument (explain)
- On _____ placed an _____
DATE



Statement of evidence for this corner location is on back of this page.

I hereby certify that this document was researched and prepared by me or under my direct supervision and that I am a licensed Land Surveyor under the laws of the State of Minnesota.

Signature Jerome C. Wittstock Date 06 May 2008 License No. 19552

Title: Land Surveyor Professional Engineer County Surveyor County Engineer

Benton County Surveyor's Office
Jerome C. Wittstock, County Surveyor
Minnesota License No. 19552

Statement of Evidence:

L071

The North Quarter Corner of Section 7, Township 36 North, Range 30 West, Minden Township, 4th Principal Meridian, Benton County, Minnesota.

- 1852 Original US General Land Office survey established this corner and set a wood post for the corner in a wet marsh, too wet for mound. No bearing trees near.
- 1917 R.H. West notes a stake marking the corner. Survey of Section 6 marked "GG Scherfanberg" shows corner marked by a stake and appears to have been set lost with a distance of 2686 feet to the SE corner of Section 6 and a distance of 2820 feet to the SW corner of Section 6.
- 1933 County Engineer's Notebook No. 71 contains survey of County road running west to east. Notes show no corner found or set with a distance of 5511.7 feet for the north line of Section 7.
- 1995 David Regan, LS 12236, placed a 1/2" iron monument at the intersection of County Road 15 (running east and west) and fence line (running south and north). A Certificate of Location (#231245) was recorded.
- 2001 Westwood Professional Services, Inc. found 1/2" iron monument at the intersection of County Road 15 (running east and west) and fence line (running south). Removed rebar and set a cast iron monument at the location and established new reference ties.
- 2002 Westwood Professional Services, Inc. found the CIM and measured 2820.89 feet to the NW corner of Section 7. Approximate distance to the NE corner is 2685 feet. Both distances fit the 1917 distance within a foot.
County Coordinates obtained by traverse
NAD 83 (1996 Adjustment)
N- 126614.930
E- 481418.759
- 2008 Westwood Professional Services, Inc. found the CIM and established reference ties to the corner.

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER


North Quarter _____ Corner of Section 7, Township 36, Range 30, 4th P.M.

STATE OF MINNESOTA, County of Benton

At the corner location shown on the sketch:

- On _____ found a _____
DATE
- left monument as found, lowered monument, removed monument (explain)
- On 2/9/95 placed a 1/2" Iron pipe on centerline of gravel road
DATE East-West and fence line North-South

SKETCH OF REFERENCE TIES



Statement of evidence relative to this corner location is on back of page.

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

David P. Regan 3/27/95
SIGNATURE DATE

Registration No. 12236

- Land Surveyor, Professional Engineer
- County Surveyor, County Engineer

OFFICE OF THE REGISTER OF DEEDS

County of _____

I hereby certify that this document was filed in the Reg. of Deeds office at _____ .M. on the _____ day of _____ A.D., 19 _____

Register of Deeds _____

By _____, Deputy

DOCUMENT NO. _____

Statement of Evidence:

The G.L.O. survey was done in 1852 by Edwin James Jr.

The County Surveyors records were searched with no reference to this corner.

On 2/95, Regan Land Surveyors, Inc. searched and dug the area, then set a ½" iron monument at this corner and made ties.

231245

OFFICE OF
BENTON COUNTY RECORDER
BENTON COUNTY, MN
CERTIFIED TO BE FILED
AND/OR RECORDED ON

OCT 20 3 02 PM '95

ALICE G. ENGELMEYER
COUNTY RECORDER

BY *MW* DEPUTY