

Certified, Filed and or Recorded on
Aug. 24, 2009 AT 08:19AM


Signed: CK
MARILYN J NOVAK G V I
BENTON COUNTY MINNESOTA
MARILYN J NOVAK
COUNTY RECORDER

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

NORTH QUARTER Corner of Section 32, Township 36, Range 30
4TH Principal Meridian, State of Minnesota, County of Benton

At the corner location shown on the sketch:

- On 10 APR. 2008 found a CIM
DATE
- left monument as found lowered monument removed monument (explain)
- On _____ placed an _____
DATE



29
32

Statement of evidence for this corner location is on back of this page.

I hereby certify that this document was researched and prepared by me or under my direct supervision and that I am a licensed Land Surveyor under the laws of the State of Minnesota.

Signature Jerome C. Wittatobch Date 20 August 2009 License No. 19552
Title: Land Surveyor Professional Engineer County Surveyor County Engineer

Benton County Surveyor's Office
Jerome C. Wittstock, County Surveyor
Minnesota License No. 19552

Statement of Evidence:

L321

North Quarter Corner of Section 32, Township 36 North, Range 30 West, Minden Township, 4th Principal Meridian, Benton County, Minnesota.

1852 Original US General Land Office survey set a wood post in a mound with a pit 8 links east at the corner location.

1983 Paul Wellen, LS 10461, set a cast iron monument at a tree line north/south/east/west. He filed a Certificate of Location (#173397).

1992 James Nielson, LS 11865, found a cast iron monument and 1 reference tie and filed a Certificate of Location (216776).
County Coordinates obtained from MN/DOT to CIM:
NAD 83 (1986 Adjustment)
N- 105404.906
E- 487017.276

1993 and 1994 MN/DOT Road Alignment for TH 23 and the following MN/DOT Right of Way road plats 05-4, 05-5, and 5-15 note a cast iron monument at the corner.

2002 No resurvey information was found on this corner in the Benton County records.
County Coordinates obtained by GPS (CIM)
NAD 83 (1996 Adjustment)
N- 105405.578
E- 487016.899

2008 Westwood Professional Services, Inc. found a CIM at the corner location, established reference ties and verified the 2002 coordinates.

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

NORTH QUARTER Corner of Section 32, Township 36N, Range 30W, 4th P.M.

STATE OF MINNESOTA, County of Benton


At the corner location shown on the sketch:

On 04/14/92 found a Benton County cast iron monument
DATE

left monument as found, lowered monument, removed monument (explain)

On _____ placed a _____
DATE

SKETCH OF REFERENCE TIES



Statement of evidence relative to this corner location is on back of page.

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

James W. Nielsen 1/7/1992
SIGNATURE DATE

Registration No. 11865

- Land Surveyor, Professional Engineer
- County Surveyor, County Engineer

OFFICE OF THE COUNTY RECORDER

County of _____

I hereby certify that this document was filed in the Co. Recorders office at _____ .M. on the _____ day of _____ A.D., 19 _____

County Recorder _____

By _____, Deputy

DOCUMENT NO. _____

Statement of Evidence: NORTH QUARTER CORNER SECTION 32, TOWNSHIP 36 NORTH,
RANGE 30 WEST

Reference: Certificate of Location by Paul Wellan dated 05/16/83.

The 1922 Highway Department right of way map indicates a monument at the corner but doesn't reference the monument to the highway centerline.

On 04/14/92 Mn/DOT recovered Mr. Wellan's cast iron monument and one reference tie. The found monument is at the occupation line and is accepted by Mn/DOT as the correct location for the corner.

For details and survey analysis contact the Minnesota Department of Transportation Surveys Office in Baxter, MN.

216776

OFFICE OF
BENTON COUNTY RECORDER
BENTON COUNTY, MN
CERTIFIED TO BE FILED
AND/OR RECORDED ON

AUG 3 4 09 PM '93


ALICE G. EMBELMEYER
COUNTY RECORDER

BY *[Signature]* DEPUTY

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

I hereby certify that on the 16th day of May, 1983
 I did set the NORTH 1/4 corner corner of Section 32,
 Twp. 36, Rg. 30, BENTON County, Minnesota, which
 was evidenced by Tree lines North-South and East - West

I further certify that in order to perpetuate said corner I did
 at the exact location thereof place a permanent marker consisting
 of CAST IRON MONUMENT and that
 I did establish witness or reference monuments as shown below:



12/1/83
 12/2/83
 12/3/83
 12/4/83
 12/5/83

I hereby certify that the above
 is true and correct and that I am
 a registered Land Surveyor under
 the laws of the State of Minnesota.

Paul J. Miller

Minn. Registration No. 1046

Office of the County Recorder,
Benton County, Minn.

I hereby certify that the within instrument
 was filed for record in this office on the
16th day of May, 1985
 at 11:00 A.M.

Alice C. Engelmeier
 County Recorder

By _____ Deputy.

173397