

Certified, Filed and or Recorded on
May 06, 2008 AT 01:24PM

Signed: M
MARILYN J NOVAK G V ✓
BENTON COUNTY MINNESOTA
MARILYN J NOVAK
COUNTY RECORDER

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER


NORTHEAST Corner of Section 11, Township 36, Range 30
4TH Principal Meridian, State of Minnesota, County of Benton

At the corner location shown on the sketch:

On 10 APRIL 2008 found a 1/2" I.P. RLS# 16097
DATE

left monument as found lowered monument removed monument (explain)

On _____ placed an _____
DATE



Statement of evidence for this corner location is on back of this page.

I hereby certify that this document was researched and prepared by me or under my direct supervision and that I am a licensed Land Surveyor under the laws of the State of Minnesota.

Signature Jerome C Wittstock Date 06 May 2008 License No. 19552

Title: Land Surveyor Professional Engineer County Surveyor County Engineer

Benton County Surveyor's Office.
 Jerome C. Wittstock, County Surveyor
 Minnesota License No. 19552

Statement of Evidence:**L112**

Northeast Corner of Section 11, Township 36 North, Range 30 West, Minden Township,
 4th Principal Meridian, Benton County, Minnesota.

1852 Original General Land Office survey established this corner and a wood post was set for the corner and bearing trees were recorded.

12" Elm	N 59 1/4 W	169 links
15" Ash	N 1 E	88 links

1995 Kevin Festler, LS 22702 set a ½ " iron pipe (LS 16097) at the intersection of fence lines north, south, and east as an obliterated corner and filed a Certificate of Location (Doc. 230317).

Comstock and Davis performed GPS work under contract with Benton County and Coordinates Obtained by GPS NAD 83 (1986 Adjustment) to the set ½ " iron pipe:

N- 126527.046
 E- 505323.749

2002 Westwood Professional Services, Inc. found no other record information on this corner in the Benton County records.

2004 MN/DOT found ¾" iron pipe.
 County Coordinates obtained by GPS
 NAD 83 (1996 Adjustment)
 N- 126527.186
 E- 505323.219

2008 Westwood Professional Services, Inc. found a ½" iron pipe capped 16097 at a north/south fence line and established reference ties. MnDOT coordinates were verified.

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Northeast _____ Corner of Section 11, Township 36, Range 30, _____ P.M.

STATE OF MINNESOTA, County of Benton


At the corner location shown on the sketch:

On 2-8-95 found a N-S-E fence intersection
DATE

left monument as found, lowered monument, removed monument (explain)

On 2-16-95 placed a 1/2 inch iron pipe monument capped RLS 16097
DATE

SKETCH OF REFERENCE TIES



NOT TO SCALE

Statement of evidence relative to this corner location is on back of page.

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

[Signature] SIGNATURE 8/17/1995 DATE

Registration No. 22702
 Land Surveyor, Professional Engineer
 County Surveyor, County Engineer

OFFICE OF THE COUNTY RECORDER

County of _____

I hereby certify that this document was filed in the Co. Recorders office at _____ .M. on the _____ day of _____ A.D., 19 _____

County Recorder _____

By _____, Deputy

DOCUMENT NO. _____

Statement of Evidence:

The northeast corner of Section 11, Township 36, Range 30, 4th Principal Meridian, Benton County, Minnesota, was set under the Public Land Survey as a post with bearing trees. No trace of post or trees now exists.

A search by Benton County Highway personnel of available county survey records revealed no additional information on this corner.

In 1995, Comstock & Davis, Inc. while remonumenting section corners for the purpose of G.P.S. work for Benton County, found a north-south-east fence intersection at the northeast corner position of Section 11, Twp. 36, Rng. 30. There was two fences, one newer and one old, approximately 8.5 feet apart running east. Comstock & Davis, Inc. set a 1/2 inch iron pipe capped RLS 16097 on the intersection point of the north-south fence and old fence to the east and found this position to be within reason to the Public Land Survey records. Comstock & Davis, Inc. accepted this position as the position of the northeast corner of Section 11. Refer to Job No. 945017.

230317

CLERK OF
BENTON COUNTY RECORDER
BENTON COUNTY, MN
CERTIFIED TO BE FILED
AND RECORDED ON

AUG 31 12 52 PM '95

ALICE S. J. HENNER
COUNTY CLERK

BY mm COUNTY CLERK