

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

NORTHEAST Corner of Section 29, Township 36N, Range 30W, 4th P.M.


STATE OF MINNESOTA, County of Benton

At the corner location shown on the sketch:

On 04/21/92 found a 3/8" iron rod
DATE

left monument as found, lowered monument, removed monument (explain)

On _____ placed a _____
DATE



Statement of evidence relative to this corner location is on back of page.

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

James W. Nielsen 1/7/1992
SIGNATURE DATE

Registration No. 11865
 Land Surveyor, Professional Engineer
 County Surveyor, County Engineer

OFFICE OF THE COUNTY RECORDER
 County of _____

I hereby certify that this document was filed in the Co. Recorders office at _____ .M. on the _____ day of _____ A.D., 19 ____

County Recorder _____
 By _____, Deputy
 DOCUMENT NO. _____

Statement of Evidence:

NORTHEAST CORNER SECTION 29, TOWNSHIP 36 NORTH,
RANGE 30 WEST

Reference: Certificate of Location by William Lunser dated 12/15/1988

On 04/21/1992 Mn/DOT recovered a 3/8 inch iron rod and three of Mr. Lunser's reference ties. Road construction in 1990 destroyed the cast iron monument. The found monument is in agreement with the occupation lines and is accepted by Mn/DOT as the correct location for the corner.

For details and survey analysis contact the Minnesota Department of Transportation Surveys Office in Baxter, MN.

216769

OFFICE OF
BENTON COUNTY RECORDER
BENTON COUNTY, MN
CERTIFIED TO BE FILED
AND/OR RECORDED ON

AUG 3 4 08 PM '99

ALICE G. ENGELMEYER
COUNTY RECORDER

BY *AE* DEPUTY

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Northeast Corner of Section 29, Township 36, Range 30, 4th P.M.

STATE OF MINNESOTA, County of Benton


At the corner location shown on the sketch:

On 5-14-81 found a 1/2" iron pipe
DATE

left monument as found, lowered monument, removed monument (explain)

On 5-21-84 placed a Cast Iron Monument
DATE

SKETCH OF REFERENCE TIES



Statement of evidence relative to this corner location is on back of page.

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

William F. Linn (12/15/88)
SIGNATURE DATE

Registration No. 9394

Land Surveyor, Professional Engineer

County Surveyor, County Engineer

OFFICE OF THE REGISTER OF DEEDS

County of _____

I hereby certify that this document was filed in the Reg. of Deeds office at _____ .M. on the _____ day of _____ A.D., 19 _____

Register of Deeds _____

By _____, Deputy

DOCUMENT NO. _____

Statement of Evidence:

5-14-81:

Found 1/2" iron pipe in centerline of road, north-south and east-west and supported by measurements south and east.

191258

OFFICE OF
BENTON COUNTY RECORDER
BENTON COUNTY, MN
CERTIFIED TO BE FILED
AND/OR RECORDED ON

JAN 12 12 08 PM '89

ALICE C. ENGELMEYER
COUNTY RECORDER

BY Jew DEPUTY