

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Southeast Corner of Section 26, Township 36 N, Range 30 W, 4th P.M.

STATE OF MINNESOTA, County of Benton


At the corner location shown on the sketch:

On _____ found a _____
DATE

left monument as found, lowered monument, removed monument (explain)

On 9-12-77 placed a 1/2" iron pipe
DATE

SKETCH OF REFERENCE TIES



Refer to next page

Statement of evidence relative to this corner location is on back of page. 147250

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

Paul E. Wellen 1/9/78
SIGNATURE DATE

Registration No. 10461

- Land Surveyor, Professional Engineer
 County Surveyor, County Engineer

OFFICE OF THE REGISTER OF DEEDS
County of Benton

I hereby certify that this document was filed in the Reg. of Deeds office at 4 P: .M. on the 10th day of January A.D., 1978

Register of Deeds F. A. Johnson

By A. E., Deputy

DOCUMENT NO. _____

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

SOUTHEAST Corner of Section 26, Township 36N, Range 30W, 4TH P.M.

STATE OF MINNESOTA, County of BENTON


At the corner location shown on the sketch:

On _____ found a _____
DATE

left monument as found, lowered monument, removed monument (explain)

On 9-12-77 placed a 1/2" IRON PIPE
DATE

SKETCH OF REFERENCE TIES



Statement of evidence relative to this corner location is on back of page. **147250**

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision

Paul Miller 11/9/78
SIGNATURE DATE

Registration No. 10461
 Land Surveyor, Professional Engineer
 County Surveyor, County Engineer

OFFICE OF THE REGISTER OF DEEDS
County of Benton

I hereby certify that this document was filed in the Reg. of Deeds office at 4 P. M. on the 10th day of January A.D., 19 78

Register of Deeds J.A. Robinson
By A.E. T., Deputy
DOCUMENT NO. _____

Placed a $\frac{1}{2}$ inch iron pipe at the intersection of fence lines north, south, east and west.

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

_____ N. E. _____ Corner of Section 35, Township 36, Range 30, _____ P.M.

STATE OF MINNESOTA, County of Benton

At the corner location shown on the sketch:

- On _____ found a _____
DATE
- left monument as found, lowered monument, removed monument (explain)
- On _____ placed a _____
DATE

SKETCH OF REFERENCE TIES



FILED under S. E. Corner Section 26 , T36 R30

Certificate #147250

Statement of evidence relative to this corner location is on back of page.

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

SIGNATURE DATE

Registration No. _____

- Land Surveyor, Professional Engineer
- County Surveyor, County Engineer

OFFICE OF THE REGISTER OF DEEDS

County of _____

I hereby certify that this document was filed in the Reg. of Deeds office at _____ .M. on the _____ day of _____ A.D., 19 ____

Register of Deeds _____

By _____, Deputy

DOCUMENT NO. _____