

264151

OFFICE OF  
BENTON COUNTY RECORDER  
BENTON COUNTY, MN  
CERTIFIED TO BE FILED  
AND/OR RECORDED ON

FEB 8 11 44 AM '00

ALICE O. ENGELMEYER  
COUNTY RECORDER

BY Mn DEPUTY xm

# CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

NORTH QUARTER Corner of Section 36, Township 36, Range 31


4 TH Principal Meridian, State of Minnesota, County of BENTON

At the corner location shown on the sketch:

On 5-29-98 found a 1/2 INCH PIPE DOWN 16"  
DATE

left monument as found     lowered monument     removed monument (explain)

On 6-9-98 placed a MN HIGHWAY DEPT CIM OVER 1/2 INCH IRON PIPE  
DATE



Statement of evidence for this corner location is on back of this page.

I hereby certify that this document was researched and prepared by me or under my direct supervision.

Signature James Klam Date 1-14-00 License No. 23668

Title:  Land Surveyor     Professional Engineer     County Surveyor     County Engineer

Statement of Evidence: North Quarter Corner Section 36, Township 36 North, Range 31 West.

For previous information about this corner refer to the certificate of location of government corner document of said north quarter corner on file with the Benton County Highway Department, dated March 20, 1981, which was created by William Lunser, Mn Reg. No. 9394.


In 1998 the Minnesota Department of Transportation found a ½" iron pipe and ties in accordance with Lunser's certificate. The Minnesota Department of Transportation accepted the position as the correct location for the corner and placed a cast iron monument over the top of the found iron pipe. In 2000 the Minnesota Department of Transportation measured new ties and made a new certificate of location of government corners.

For details and survey analysis, contact the Minnesota Department of Transportation District Surveys Office in Baxter, Minnesota.

# CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

I hereby certify that on the 20<sup>th</sup> day of March, 1981  
 I did find \_\_\_\_\_ the North Quarter corner of Section 36,  
 Twp. 36, Rg. 31, Benton \_\_\_\_\_ County, Minnesota, which  
 was evidenced by 1/2 inch iron pipe 16" below surface, verified  
 by occupation (fence) runing north and various private and \_\_\_\_\_  
 highway department surveys.

I further certify that in order to perpetuate said corner I did  
 at the exact location thereof place a permanent marker consisting  
 of Benton County cast iron monument and that  
 I did establish witness or reference monuments as shown below:



158860

I hereby certify that the above is true and correct and that I am a registered Land Surveyor under the laws of the State of Minnesota.

William P. Luman

Minn. Registration No. 9394

Office of the County Recorder  
Benton County, Minn.

I hereby certify that the within instrument was filed for record in this office on the 7<sup>th</sup> day of April, 1981. 3 P.M.

F.A. Johnson  
 County Recorder

By \_\_\_\_\_ Deputy.