

A 360874

Certified, Filed and or Recorded on
Oct. 14, 2008 AT 10:14AM


Signed: ML
MARILYN J NOVAK G V J
BENTON COUNTY MINNESOTA
MARILYN J NOVAK
COUNTY RECORDER

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

EAST QUARTER Corner of Section 20, Township 36N, Range 29W
4TH Principal Meridian, State of Minnesota, County of Benton

At the corner location shown on the sketch:

- On 10/09/08 found a CAST IRON MONUMENT UNDER BIT.
- left monument as found lowered monument removed monument (explain)
- On 10/09/08 placed an PK NAIL WITH WASHER FLUSH WITH SURFACE,
OVER C.M.



Statement of evidence for this corner location is on back of this page.

I hereby certify that this document was researched and prepared by me or under my direct supervision and that I am a licensed Land Surveyor under the laws of the State of Minnesota.

Signature Jan W. Oley
Deputy Benton County Surveyor
License No. 45872

Date: 10-13-2008

Benton County Surveyor's Office
Jason W. Oberg, Deputy County Surveyor
Minnesota License No. 45872

Statement of Evidence:

K203

The East Quarter Corner of Section 20, Township 36 North, Range 29 West, St. George Township, 4th Principal Meridian, Benton County, Minnesota.

1855 Original US General Land Office survey established corner marked by a wood post with bearing trees:

24" Bur Oak S 18 E 384 links

1992 David Regan, LS 12236, found a ½" pipe in the centerline of roads north/south and a fence line east/west. He replaced it with a cast iron monument and filed a Certificate of Location (#163369).

2002 No other resurvey information was found on this corner in the Benton County Surveyor's records.

2008 The County Surveyors Office searched and found the cast iron monument as set by Regan in 1992. Said monument falls on centerline of north-south road (95th Ave N.E.), and is on line with fence lines going east and west. The Surveyor accepts Regan's position and updated ties.

Benton County Coordinates Obtained by GPS
NAD 83 (1996 Adjustment)
N-113775.349
E-521682.794

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER


East Quarter Corner of Section 20, Township 36, Range 29, 4th P.M.

STATE OF MINNESOTA, County of Benton

At the corner location shown on the sketch:

- On 7/19/82 found a 1/2 inch iron pipe in center line of north-south Twp. Rd. and on fence lines to east and west
DATE
 left monument as found, lowered monument, removed monument (explain)
- On 7/19/82 placed a Benton County cast iron monument
DATE

SKETCH OF REFERENCE TIES



Statement of evidence relative to this corner location is on back of page. **163369**

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

David J. Ryan 9/1/82
SIGNATURE DATE

Registration No. 12236
 Land Surveyor, Professional Engineer
 County Surveyor, County Engineer

County Recorder
OFFICE OF THE REGISTER OF DEEDS
County of Benton

I hereby certify that this document was filed in the Reg. of Deeds office at 11 A.M. on the 18th day of October A.D., 1982
County Recorder
Register of Deeds F.A. Johnson

By _____, Deputy
DOCUMENT NO. _____