

E14 30-36-29
FB 132/01

Index No. _____

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER


EAST QUARTER Corner of Section 30, Township 36, Range 29, 4th P.M.

STATE OF MINNESOTA, County of BENTON

At the corner location shown on the sketch:

- On _____ found a _____
DATE
- left monument as found, lowered monument, removed monument (explain)
- On 3-3-90 placed a CAST IRON MONUMENT
DATE

SKETCH OF REFERENCE TIES



Statement of evidence relative to this corner location is on back of page.

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

Walter J. L... 2/14/91
SIGNATURE DATE

Registration No. 9394

Land Surveyor, Professional Engineer
 County Surveyor, County Engineer

OFFICE OF THE REGISTER OF DEEDS
County of _____

I hereby certify that this document was filed in the Reg. of Deeds office at _____ .M. on the _____ day of _____ A.D., 19 ____

Register of Deeds _____
By _____, Deputy
DOCUMENT NO. _____

Statement of Evidence:

Benton County Records showed no reference to this corner other than U.S. Government Survey.

On 3-3-90 searched the area and found no evidence of an existing monument. Placed a cast iron monument at the centerline of County Road 48 and a field line to the North. Measurements to the East corner of Section 29 supports this location.

201533

OFFICE OF
BENTON COUNTY RECORDER
BENTON COUNTY, MN
CERTIFIED TO BE FILED
AND/OR RECORDED ON

FEB 28 12 25 PM '91

ALICE G. ENGELMEYER
COUNTY RECORDER

BY *[Signature]* DEPUTY