

Certified, Filed and or Recorded on  
Mar. 10, 2009 AT 01:00PM

Signed: CK  
MARILYN J NOVAK G V I  
BENTON COUNTY MINNESOTA  
MARILYN J NOVAK  
COUNTY RECORDER

# CERTIFICATE OF LOCATION OF GOVERNMENT CORNER


EAST QUARTER Corner of Section 33, Township 36N, Range 29W  
4TH Principal Meridian, State of Minnesota, County of Benton

At the corner location shown on the sketch:

On 12/18/08 found a 1/2" OPEN IRON PIPE UP 0.1'

left monument as found       lowered monument       removed monument (explain)

On \_\_\_\_\_ placed an \_\_\_\_\_



Statement of evidence for this corner location is on back of this page.

I hereby certify that this document was researched and prepared by me or under my direct supervision and that I am a licensed Land Surveyor under the laws of the State of Minnesota.

Signature Ch. High  
Deputy County Surveyor  
License No. 43932

Date: 3/6/09

Benton County Surveyor's Office  
 Chris Hogle, Deputy County Surveyor  
 Minnesota License No. 43932

**Statement of Evidence:**

K333

East Quarter Corner of Section 33, Township 36 North, Range 29 West, St. George Township, 4<sup>th</sup> Principal Meridian, Benton County, Minnesota.

1855 Original US General Land Office survey set a wood post at this location and bearing trees were recorded.

9" Bur Oak                      S 67 ½ W                      832 links

Pre 1940 MN/DOT notes by C. H. West for TH 95 show corner assumed at intersection of fence lines east, west and south.

1990 William Lunser, LS 9394, set a ½" pipe at the intersection of fence line north/south/east. He filed Certificate of Location (#234174). He notes a distance of 2719.96 feet to the NE corner Sec 33 and a distance of 5245.11 feet to the East ¼ corner Sec 34 and a distance of 2643.30 feet to the SE Cor Sec 33.

1995 Record plat of STONY BROOK ESTATES by William Lunser, LS 9394, shows corner as an iron pipe.

2005 WSN found ½" iron pipe per Lunser's Certificate. Measured 2721.08 feet to the NE corner and 2642.48 feet to the SE corner.

County Coordinates Obtained by GPS  
 NAD 83 (1996 Adjustment)  
 N- 102878.804  
 E- 526944.494

This corner is noted on the following recorded plats

<i>EAGLE VIEW COMMONS</i>	8/16/1998	William Lunser
<i>STONY BROOK ESTATES</i>	5/25/1995	William Lunser



2008 Westwood Professional Services, Inc. found a ½" iron pipe at the intersection of fences east/west/south. Measured 2721.08 feet to the NE corner and 2642.48 feet to the SE corner of Section 33 and measured 5245.11 feet to the E1/4 of Section 34. These measurements agree with 1990 Lunser and 2005 WSN distances. ½" iron pipe is accepted as marking the obliterated position for this corner. Coordinates obtained by GPS coincide with 2005 WSN position.

# CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

EAST QUARTER corner of Section 33, Township 36, Range 29, 4th P.M.  
Benton County, Minnesota.

On Sep 9, 1990, A 1/2 inch iron pipe (I.P.) was placed at this location.

## SKETCH OF REFERENCE TIES



Statement of evidence relative to this corner location on back of page

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

*William F. Lunser* 3/13/96  
 William F. Lunser, L.S. Date  
 Mn Reg No 9394

OFFICE OF THE COUNTY RECORDER  
 Benton County, Minnesota  
 I hereby certify that this document was filed in this office at \_\_\_:\_\_\_ M. on the \_\_\_ day of \_\_\_\_\_, 19\_\_.


County Recorder \_\_\_\_\_  
 By \_\_\_\_\_ Deputy

STATEMENT OF EVIDENCE:

No records were found to indicate use or remonumentation of this corner after its original placement by the U.S. Government Survey.

A search of the area failed to uncover the marker. Occupation lines consisting of fences to east, north and south are well defined.

After comparing measured distances to those of the G.L.O. I consider this corner obliterated with the fence lines serving as its accessories.

  
William F. Lunser, L.S.

2 3 4 | 7 4

BEING FILED IN RECORD  
GANTON COUNTY, MN  
CERTIFIED TO BE FILED  
AND/OR RECORDED ON

APR 10 2 34 PM '96

ALICE C. ENGLEMEYER  
COUNTY RECORDER

BY mm DEPUTY mm