

Certified, Filed and or Recorded on
Sep. 23, 2008 AT 01:28PM

Signed: BW
MARILYN J NOVAK G V
BENTON COUNTY MINNESOTA
MARILYN J NOVAK
COUNTY RECORDER

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER


NORTHEAST Corner of Section 36, Township 36 N, Range 29 W
4TH Principal Meridian, State of Minnesota, County of Benton

At the corner location shown on the sketch:

On 9/16/08 found a 1/2" OPEN PIPE

left monument as found lowered monument removed monument (explain)

On _____ placed an _____



Statement of evidence for this corner location is on back of this page.

I hereby certify that this document was researched and prepared by me or under my direct supervision and that I am a licensed Land Surveyor under the laws of the State of Minnesota.

Signature Jason W. Oly
Deputy Benton County Surveyor
License No. 45872

Date: 9/22/08

Benton County Surveyor's Office
 Jason W. Oberg, Deputy County Surveyor
 Minnesota License No. 45872

Statement of Evidence:

K362

Northeast Corner of Section 36, Township 36 North, Range 29 West, St. George Township, 4th Principal Meridian, Benton County, Minnesota.

- 1849 Original US General Land Office survey set a wood post with bearing trees noted as:
- | | | |
|-------------|------------|------------|
| 10" Bur Oak | S 17 1/2 E | 1181 links |
| 8" Bur Oak | N 56 E | 491 links |
- A line tree was noted as a 6" Bur Oak South 16.95 chains.
- 1916 County Surveyor's Record Book 1, pages 67 to 69, and Record Book A, Map No. 29, contains a survey of Section 31, 36-28 by J. P. Soderstrum. He states he located corner in center of north-south road from GLO BT to the SE - S 17 1/2 E 1188 links and planted a 5" x 5" x 24" granite stone for the corner.
- 1922 Bradley Engineering Services did a survey to establish the north-south 1/4 line of Section 31 filed in Plat Cabinet D, 95B. The survey shows stone used for the corner.
- 1940 County Engineer's Notebook No. 134 contains survey of CAR 40 running south to north on township line. Corner is shown as a granite monument. Ties:
- | | | |
|----|----|-------|
| FP | E | 21.90 |
| FP | SE | 51.75 |
- 1964 County Surveyor's Record Book 1, page 155 contains ties to a granite monument:
- | | | |
|----|----|------|
| TP | SE | 50.8 |
| PP | NW | 72.5 |
- Other ties (No Date):
- | | | |
|----|------|------|
| FP | East | 25.9 |
| FP | West | 32.5 |
- (County Engineer's Notebook No. 134 shows hub set over granite monument with same ties.)
- 1983 David Regan, LS 12236, found a 5 1/2" x 5 1/2" granite stone monument in center line of north-south road. He set a 1/2" iron pipe over the stone monument and filed a Certificate of Location (Doc. No. 166041).
- 2005 Westwood Professional Services, Inc. found 1" iron pipe in center of north-south road.
- 2008 The Benton County Surveyor's Office found a 1/2" open iron pipe in the center of a north-south bituminous road (Benton Co. Rd 49). Found a PP tie which checks with Regan's 1983 tie when he found the Soderstrum stone from 1916. The Surveyor accepts the position and set additional ties.

County Coordinates obtained by GPS:
 NAD 83 (1996 Adjustment)
 N- 105679.026
 E- 542844.045

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER


Northeast Corner of Section 36, Township 36, Range 29, 4th P.M.

STATE OF MINNESOTA, County of Benton

At the corner location shown on the sketch:

- On 7/5/83 found a 5½ inch X 5½ inch granite stone monument in center line of north-south road
DATE
- left monument as found, lowered monument, removed monument (explain)
- On 7/5/83 placed a ½ inch iron pipe over stone monument
DATE

SKETCH OF REFERENCE TIES



Statement of evidence relative to this corner location is on back of page.

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

David G. Regan 7/14/83
SIGNATURE DATE

Registration No. 12236

- Land Surveyor, Professional Engineer
- County Surveyor, County Engineer

County Recorder
 OFFICE OF THE REGISTER OF DEEDS
 County of Benton

I hereby certify that this document was filed in the Reg. of Deeds office at 11 A.M. on the 25 day of July A.D., 1983
Co. Recorder
 Register of Deeds F. L. Johnson

By _____, Deputy
 DOCUMENT NO. 166041