

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

East 1/4 Corner of Section 11, Township 37, Range 31, _____ P.M.
 STATE OF MINNESOTA, County of Benton

At the corner location shown on the sketch:

- On _____ found a _____
DATE
- left monument as found, lowered monument, removed monument (explain)
- On _____ placed a _____
DATE

SKETCH OF REFERENCE TIES



Filed under West 1/4 Corner Section 12, T37 R31

Certificate #151860

Statement of evidence relative to this corner location is on back of page.

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

SIGNATURE DATE

Registration No. _____

- Land Surveyor, Professional Engineer
- County Surveyor, County Engineer

OFFICE OF THE REGISTER OF DEEDS

County of _____

I hereby certify that this document was filed in the Reg. of Deeds office at _____ .M. on the _____ day of _____ A.D., 19 ____

Register of Deeds _____

By _____, Deputy

DOCUMENT NO. _____

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER


Sheet V4 Corner of Section 12, Township 37, Range 31, 4 P.M.

STATE OF MINNESOTA, County of Benton

At the corner location shown on the sketch:

- On 9-21-78 found a 1/2" iron pipe, at the intersection of North Township road and West Township road
DATE
 - left monument as found, lowered monument, removed monument (explain)
- On _____ placed a 1/2" iron pipe
DATE

SKETCH OF REFERENCE TIES



Refer to next page

Statement of evidence relative to this corner location is on back of page.

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

Paul E. Keelen _____
SIGNATURE DATE

Registration No. 10461

Land Surveyor, Professional Engineer

County Surveyor, County Engineer

County Recorder
OFFICE OF THE REGISTER OF DEEDS
County of Benton

I hereby certify that this document was filed in the County Recorder office at 10 A. M. on the 26th day of March A.D., 1979


Register of Deeds F.A. Johnson
By _____, Deputy

DOCUMENT NO. 151960

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

I hereby certify that on the 21 day of September, 19 78
I did set the West 1/4 corner of Section 12,
Twp. 37, Rg. 31, Benton County, Minnesota, which
was evidenced by a 1/2" iron pipe, at the intersection of north
township road, and west township road.

I further certify that in order to perpetuate said corner I did
at the exact location thereof place a permanent marker consisting
of 1/2" iron pipe and that
I did establish witness or reference monuments as shown below:



151860

I hereby certify that the above
is true and correct and that I am
a registered Land Surveyor under
the laws of the State of Minnesota.

James J. Miller

Minn. Registration No. 10461

Office of the County Recorder,
Benton County, Minn.

I hereby certify that the within instrument
was filed for record in this office on the
26th day of March, 19 79
at 10 A.M.

F. G. Johnson
County Recorder

By _____ Deputy.