

Certified, Filed and or Recorded on  
Nov. 05, 2008 AT 08:19AM


Signed: [Signature]  
MARILYN J NOVAK G V I  
BENTON COUNTY MINNESOTA  
MARILYN J NOVAK  
COUNTY RECORDER

### CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

EAST QUARTER Corner of Section 24, Township 37, Range 31  
4TH Principal Meridian, State of Minnesota, County of Benton

At the corner location shown on the sketch:

- On 10-8-08 found a CAST IRON MON.
- left monument as found       lowered monument       removed monument (explain)
- On \_\_\_\_\_ placed an \_\_\_\_\_



Statement of evidence for this corner location is on back of this page.

I hereby certify that this document was researched and prepared by me or under my direct supervision and that I am a licensed Land Surveyor under the laws of the State of Minnesota.

Signature [Signature]  
Deputy County Surveyor  
License No. 43932

Date: 11/3/08

Benton County Surveyor's Office  
 Chris Hoglund, Deputy County Surveyor  
 Minnesota License No. 43932

**Statement of Evidence:**

F243

East Quarter Corner of Section 24, Township 37 North, Range 31 West, Watab Township, 4<sup>th</sup> Principal Meridian, Benton County, Minnesota.

- 1849 Original US General Land Office survey set a wood post at this location and bearing trees were recorded.
- |              |        |           |
|--------------|--------|-----------|
| 12" Blk. Oak | N 46 E | 225 links |
| 10" Blk. Oak | S 34 W | 82 links  |
- 1898 County Road Book, page 163, shows road surveyed by Felix Parrent, County Surveyor, south to north on town line. Survey gives distance of 80.62 chains (5320.92 feet) along the east line with no mention of the ¼ corner.
- 1940 County Engineer's Notebook No. 133 contains a road survey for CAR No. 41. No corner is shown, but stationing notes fence east at 2715 from the SE corner and 2674 feet from the NE corner.
- 1990 Paul Wellen, LS 10461, found a RR spike in the centerline of County Road 57 (running north and south) and replaced it with a cast iron monument and filed a Certificate of Location (#201472). Notes in 1979 give distances of 2696.29 feet to the NE corner and 2695.94 feet to the SE corner of Section 24.
- 2008 Westwood Professional Services, Inc. found a CIM in the centerline of 15<sup>th</sup> Ave. NE fitting two if the remaining Wellen ties. CIM fits 0.07 feet of lost position. Measured 2696.12 to NE corner and 2696.01 to SE corner of Section 24. CIM is accepted as marking the obliterated position for this corner.  
 County Coordinates obtained by GPS  
 NAD 83 (1996 Adjustment)  
 N- 145510.137  
 E-478706.453

# CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

EAST 1/4 Corner of Section 24, Township 37, Range 31, 4 P.M.

STATE OF MINNESOTA, County of BENTON


At the corner location shown on the sketch:

On 21 AUG 90 found a R.R. SPIKE  
DATE

left monument as found,  lowered monument,  removed monument (explain)

On 21 AUG 90 placed a COUNTY MONUMENT  
DATE

### SKETCH OF REFERENCE TIES



Statement of evidence relative to this corner location is on back of page.

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

*Paul J. Miller* 1/14/91  
SIGNATURE DATE

Registration No. 10461

- Land Surveyor,  Professional Engineer  
 County Surveyor,  County Engineer

#### OFFICE OF THE COUNTY RECORDER

County of \_\_\_\_\_

I hereby certify that this document was filed in the Co. Recorders office at \_\_\_\_\_ .M. on the \_\_\_\_\_ day of \_\_\_\_\_ A.D., 19 \_\_\_\_\_

County Recorder \_\_\_\_\_

By \_\_\_\_\_, Deputy

DOCUMENT NO. \_\_\_\_\_

Statement of Evidence:

East 1/4 corner, of Section 24, T  
37 N, R 31 W, of the 4th Principal Meridian.

1. During the G.L.O. Survey of 1849, Mr. Theodore Conkey, a U.S. Deputy Surveyor, set a wood post to mark this corner.
2. A search of the Benton County Surveyor records provided no further information for the location of this corner.
3. On August 21, 1990, Paul E. Wellen & Associates, Inc., found a railroad spike in the center line of Benton County Road 57 and placed a cast iron monument at this location. We also established new reference ties as indicated.

201472

OFFICE OF  
BENTON COUNTY RECORDER  
BENTON COUNTY, MO  
CERTIFIED TO BE FILED  
AND/OR RECORDED ON

FEB 25 8 21 AM '91

ALICE C. ENGELMEYER  
COUNTY RECORDER

BY Jew DEPUTY