

Certified, Filed and or Recorded on
Mar. 11, 2009 AT 10:19AM



Signed: Ju
MARILYN J NOVAK 6 V I
BENTON COUNTY MINNESOTA
MARILYN J NOVAK
COUNTY RECORDER

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

NORTH EAST Corner of Section 23, Township 37N, Range 31W
4TH Principal Meridian, State of Minnesota, County of Benton

At the corner location shown on the sketch:

- On 12/08/08 found a CAST IRON MONUMENT UP 0.2'
- left monument as found lowered monument removed monument (explain)
- On _____ placed an _____



Statement of evidence for this corner location is on back of this page.

I hereby certify that this document was researched and prepared by me or under my direct supervision and that I am a licensed Land Surveyor under the laws of the State of Minnesota.

Signature Ch. [Signature]
Deputy County Surveyor
License No. 43932

Date: 3/6/09

Statement of Evidence:

F232

Northeast Corner of Section 23, Township 37 North, Range 31 West, Watab Township,
 4th Principal Meridian, Benton County, Minnesota.

1850 Original US General Land Office survey set a wood post at this location and bearing trees were recorded:

8" Blk Oak	S 28 ¾ E	122 links
8" Blk Oak	N 44 ½ W	177 links

1995 William Lunser, LS 9394, set a cast iron monument at the lost position (double proportion) and filed a Certificate of Location (234192). He noted the following distances:

2660.97 feet to the E 1/4 14
2639.42 feet to the N 1/4 23
2660.97 feet top the E 1/4 23
2665.95 feet to the N 1/4 24

This corner is noted on the following recorded plats:

GOLF HAVEN ESTATES (CIM) 12/20/1999 Paul E. Wellen

2002 Westwood Professional Services, Inc. found cast iron monument.

County Coordinates obtained by sidetie to CIM:

NAD 83 (1996 Adjustment)

N-148126.322

E-473397.018

2004 MN/DOT

County Coordinates obtained by GPS

NAD 83 (1996 Adjustment)

N-148126.222


E-473397.071

2008 Westwood Professional Services, Inc. found a cast iron monument at the corner location fitting all of 1995 Lunser distances and ties. Cast iron monument is accepted as marking the obliterated position for this corner. Coordinates obtained GPS and conventional survey methods coincide with 2002 position.

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

NORTHEAST corner of Section 23, Township 37, Range 31, 4th P.M.
Benton County, Minnesota.

On May 26, 1995, A cast iron monument (C.I.M.) was placed at this location.



Statement of evidence relative to this corner location on back of page

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

William F. Lunser 3/13/96
 William F. Lunser, L.S. Date

Mn Reg No 9394

FB;1 42/60 DISC;1 4

OFFICE OF THE COUNTY RECORDER
 Benton County, Minnesota

I hereby certify that this document was filed in this office at ____:____.M. on the ____ day of _____, 19____.

County Recorder _____

By _____, Deputy


DOCUMENT NO. _____

STATEMENT OF EVIDENCE:

No records were found to identify this corner after its original placement by the U.S. Government Survey.

The surrounding area is wooded low land, a close inspection of which revealed no evidence of monument or accessories thereto. An abandoned road running north and south was discounted as evidence of the corner's east-west location due to its wandering nature.

I therefor consider this corner Lost and fixed its position by measurements to nearest established corners north, south, east and west, proportioned to respective distances of the original survey.


William F. Lunser, L.S.

2 3 4 1 9 2

BENTON COUNTY RECORDER
BENTON COUNTY, MN
CERTIFIED TO BE FILED
AND/OR RECORDED ON

APR 10 2 37 PM '96

ALICE G. EMBELMEYER
COUNTY RECORDER

BY Mn DEPUTY xm