

Certified, Filed and or Recorded on  
Nov. 05, 2008 AT 08:19AM


Signed: M  
MARILYN NOVAK G V I  
BENTON COUNTY MINNESOTA  
MARILYN J NOVAK  
COUNTY RECORDER

### CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

NORTHEAST Corner of Section 26, Township 37, Range 31  
4TH Principal Meridian, State of Minnesota, County of Benton

At the corner location shown on the sketch:

- On 10-8-08 found a CAST IRON MON.
- left monument as found       lowered monument       removed monument (explain)
- On \_\_\_\_\_ placed an \_\_\_\_\_



Statement of evidence for this corner location is on back of this page.

I hereby certify that this document was researched and prepared by me or under my direct supervision and that I am a licensed Land Surveyor under the laws of the State of Minnesota.

Signature [Signature]  
Deputy County Surveyor  
License No. 43932

Date: 11/3/08

Benton County Surveyor's Office  
Chris Hogle, Deputy County Surveyor  
Minnesota License No. 43932

Statement of Evidence:

F262

Northeast Corner of Section 26, Township 37 North, Range 31 West, Watab Township, 4<sup>th</sup> Principal Meridian,  
Benton County, Minnesota.

1850 Original US General Land Office survey set a wood post at this location and bearing trees were recorded.

12" Twin Bur Oak	S 51 1/2 E	103 links
12" Bur Oak	N 10 E	126 links

Undated ties from M.W.Carley:

N&D in TP	NW	49.08	N&D in TP	SW	86.10
N&D in TP	SE	35.03			

1939 County Engineer's notebook No. 112 contains a road survey by H. G. Elletson for SAR No. 4. Corner is shown marked by a hub and iron in 4-way road intersection with ties:

F. P.	SE	32.6'	F. P.	SW	41.5'
-------	----	-------	-------	----	-------

1963 County Surveyor's Record Book 1, page 363, notes an iron over a stake at the corner with the following reference ties

TP	NW	49.45	PP	SE	36.1
TP	SW	86.2			

County Engineer's Notebook No. 237 contains survey for CSAH 4 running west to east on section line. Notes show corner marked by an iron over post in center of road with town road north and south. Same ties as above.

1964 County Highway notes call for a 5/8" rod with the following reference ties.

TP	NW	49.14	TP	SW	86.19
PP	SE	36.02			

1961-1968 reference tie:

Cor FP	SW	55.5
--------	----	------

1981 Certificate of Location (Doc. No 158867) for the East 1/4 corner of Section 26 by William Lunser, LS 9394, shows a distance of 2681.70 feet to the NE Corner of Sec. 26 marked by a Nail & Washer in center of Co. Rd. 4.

1982 David Regan, LS 12236, found a 1/2" solid iron in the centerline of County Road east/west and a township road south. He set a cast iron monument over the iron and filed as Certificate of Location (#162602). Tie to PP southeast checks with 1962 and 1964 highway ties.

2003 Surveying & Engineering Professionals found a CIM.

2004 County Coordinates obtained by GPS to CIM.  
NAD 83 (1996 Adjustment).  
N-142804.532  
E-473337.927

2004 MN/DOT  
County Coordinates obtained by GPS  
NAD 83 (1996 Adjustment)  
N-142804.616  
E-473337.877

2008 Westwood Professional Services, Inc found a CIM at the intersection of roads east/west/south fitting three of Regan's 1982 ties. CIM is accepted as marking the obliterated position for this corner. Coordinates obtained by GPS coincide with 2004 MN/DOT position.

10/22/2008

# CERTIFICATE OF LOCATION OF GOVERNMENT CORNER


Northeast \_\_\_\_\_ Corner of Section 26, Township 37, Range 31, 4th P.M.

STATE OF MINNESOTA, County of Benton

At the corner location shown on the sketch:

- On 6/21/82 found a 1/2 inch solid iron in center line of County road east-west and township road south  
DATE  
 left monument as found,  lowered monument,  removed monument (explain)
- On 6/21/82 placed a Benton County cast iron monument  
DATE

## SKETCH OF REFERENCE TIES



Statement of evidence relative to this corner location is on back of page.

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

David T. Regan 7/13/82  
SIGNATURE DATE

Registration No. 12236

- Land Surveyor,  Professional Engineer
- County Surveyor,  County Engineer

OFFICE OF THE REGISTER OF DEEDS ~~County Recorder~~  
County of Benton

I hereby certify that this document was filed in the Reg. of Deeds office at 10 .M. on the 27 day of July A.D., 1982.

Register of Deeds W.A. Johnson

By \_\_\_\_\_, Deputy

DOCUMENT NO. 162602