

Certified, Filed and or Recorded on
Sep. 23, 2008 AT 01:32PM


Signed: BW
MARILYN J NOVAK G V
BENTON COUNTY MINNESOTA
MARILYN J NOVAK
COUNTY RECORDER

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

E 1/4 Corner of Section 4, Township 38, Range 32
4TH Principal Meridian, State of Minnesota, County of Benton

At the corner location shown on the sketch:

- On 8-13-08 found a CAST IRON MON
- left monument as found lowered monument removed monument (explain)
- On _____ placed an _____



Statement of evidence for this corner location is on back of this page.

I hereby certify that this document was researched and prepared by me or under my direct supervision and that I am a licensed Land Surveyor under the laws of the State of Minnesota.

Signature [Handwritten Signature]
Deputy County Surveyor
License No. 43932

Date: 8/29/08

Statement of Evidence:**E043**

The East Quarter Corner of Section 4, Township 38 North, Range 32 West, West Langola Township, 4th Principal Meridian, Benton County, Minnesota.

1852 Original US General Land Office surveyor, Edwin James Jr., set a wood post at this location and bearing trees were recorded.

6" Bur Oak	N 12 1/2 W	13 links
8" Bur Oak	S 60 1/2 E	200 links

1879 County Surveyor's Record Book 2, page 1, contains a road survey by Richard Cronk that shows road at this ¼ post running east-west.

1979 On October 12, 1979 Paul Wellen, LS 10461, set a cast iron monument at the intersection of the centerline of an east/west road, a road from the north and a fence line from the south. A Certificate of Location (#155144) was filed. It is noted on said document that the E ¼ corner is 5286.24 feet east of the W ¼ corner.

2002 On June 6, 2002 Westwood Professional Services, Inc. found a cast iron monument and 1 previous tie at the intersection of the centerlines of 75th Avenue NW (running north) and Acorn Road NW (running east and west). No evidence of GLO BT's.

County Coordinates obtained by GPS (Cast Iron Monument)
 NAD 83 (1996 Adjustment)
 N-193447.133
 E-430008.039

2008 Westwood Professional Services, Inc. found a cast iron monument at the intersection of the centerlines of 75th Avenue NW (running north) and Acorn Road NW (running east and west). No evidence of GLO BT's. County Coordinates obtained by GPS coincide with 2002 location. Ties are shown on the front of this certificate.

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER


East Quarter _____ Corner of Section 4, Township 38, Range 32, _____ P.M.

STATE OF MINNESOTA, County of Benton

At the corner location shown on the sketch:

- On _____ found a _____ was evidenced by the intersection of centerline of a township road east and west and a township road to the north and a fence line to the south left monument as found, lowered monument, removed monument (explain)
- On 10-12-79 placed a Benton County Cast Iron monument

SKETCH OF REFERENCE TIES



Statement of evidence relative to this corner location is on back of page.

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

Paul E. Wellen
SIGNATURE

Registration No. 10461 DATE _____

- Land Surveyor, Professional Engineer
- County Surveyor, County Engineer

OFFICE OF THE REGISTER OF DEEDS County Recorder
County of Benton

I hereby certify that this document was filed in the County Recorder Reg. of Deeds office at 9 A: .M. on the County Recorder 1st day of February A.D., 19 80

County Recorder Register of Deeds F. A. Johnson

By _____, Deputy


DOCUMENT NO. 155144

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

1A-92

I hereby certify that on the 12 day of October, 1979
I did set the East Quarter corner of Section 34,
Twp. 38, Rg. 32, Benton County, Minnesota, which
was evidenced by the intersection of centerlines of a township road
east and west and a township road to the north and a fence line to the south

I further certify that in order to perpetuate said corner I did
at the exact location thereof place a permanent marker consisting
of Benton County Cast Iron Monument and that
I did establish witness or reference monuments as shown below:



155144

79-154 B-14 P-88

I hereby certify that the above
is true and correct and that I am
a registered Land Surveyor under
the laws of the State of Minnesota.

David J. Miller

Minn. Registration No. 10461

Office of the County Recorder,
Benton County, Minn.

I hereby certify that the within instrument
was filed for record in this office on the
1st day of February, 1980
at 9 a.m.

F. E. Johnson
County Recorder

By _____ Deputy.