

# CERTIFICATE OF LOCATION OF GOVERNMENT CORNER


Northeast Corner of Section 2, Township 38, Range 30  
STATE OF MINNESOTA, County of Benton

*Not paid earlier  
Some new ties*

At the corner location shown on the sketch:

- On \_\_\_\_\_ found a \_\_\_\_\_  
DATE
- left monument as found,  lowered monument,  removed (main)
- On 11-20-89 placed a Benton County Cast Iron Mon.  
DATE

## SKETCH OF REFERENCE TIES



Statement of evidence relative to this corner location is on back of page.

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

William J. Lerner 11/5/90  
SIGNATURE DATE

Registration No. 9394

- Land Surveyor,  Professional Engineer
- County Surveyor,  County Engineer

### OFFICE OF THE REGISTER OF DEEDS

County of \_\_\_\_\_

I hereby certify that this document was filed in the Reg. of Deeds office at \_\_\_\_\_ .M. on the \_\_\_\_\_ day of \_\_\_\_\_ A.D., 19 \_\_\_\_\_

Register of Deeds \_\_\_\_\_

By \_\_\_\_\_, Deputy

DOCUMENT NO. \_\_\_\_\_

Statement of Evidence:

6-23-89 Lunser Survey Co. Found a  $\frac{1}{2}$ " iron pipe at the centerline of two roads, North-South and East, took ties and filed a certificate of location with the county recorder.

11-20-89 Found the same  $\frac{1}{2}$ " iron pipe, verified it's location with existing ties and placed cast iron mon.

1 9 5 9 6 6

OFFICE OF  
BENTON COUNTY RECORDER  
BENTON COUNTY, MN  
CERTIFIED TO BE FILED  
AND/OR RECORDED ON

JAN 11 8 36 AM '90

ALICE G. ENGELMEYER  
COUNTY RECORDER

BY *Jed* DEPUTY

# CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Northwest Corner of Section 1, Township 38, Range 32, 4 P.M.

STATE OF MINNESOTA, County of Benton

At the corner location shown on the sketch:

On 3-28-78 found a 3/4" iron pipe, on center line of North-South Township road, and on center line of East township road.  
DATE

left monument as found,  lowered monument,  removed monument (explain)

On \_\_\_\_\_ placed a \_\_\_\_\_  
DATE

## SKETCH OF REFERENCE TIES



*Refer to next page*

Statement of evidence relative to this corner location is on back of page.

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

Paul E. Heelan \_\_\_\_\_  
SIGNATURE DATE

Registration No. 10461

Land Surveyor,  Professional Engineer

County Surveyor,  County Engineer

County Recorder  
OFFICE OF THE REGISTER OF DEEDS  
County of Benton

I hereby certify that this document was filed in the Reg. of Deeds office at 10 A.M. on the 26th day of March A.D., 1977

County Recorder  
Register of Deeds F. G. Johnson

By \_\_\_\_\_, Deputy


DOCUMENT NO. 151880

Should BE NORTH EAST CORNER Section 2, T38 R32

# CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

I hereby certify that on the 22 day of February, 1928  
I did find the northwest corner of Section 1,  
Twp. 38, Rg. 32, Benton County, Minnesota, which  
was evidenced by a 3/4" iron pipe, on center line of North-South township  
road, and on center line of East township road.

I further certify that in order to perpetuate said corner I did  
at the exact location thereof place a permanent marker consisting  
of \_\_\_\_\_ and that  
I did establish witness or reference monuments as shown below:



**151880**

I hereby certify that the above  
is true and correct and that I am  
a registered Land Surveyor under  
the laws of the State of Minnesota.

*Paul J. Miller*

Minn. Registration No. 10461

Office of the County Recorder,  
Benton County, Minn.

I hereby certify that the within instrument  
was filed for record in this office on the  
26th day of March, 1929  
at 10 A.M.

*F.A. Johnson*  
County Recorder

By \_\_\_\_\_ Deputy.

# CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

N. E. Corner of Section 2, Township 38, Range 32, \_\_\_\_\_ P.M.

STATE OF MINNESOTA, County of Benton

At the corner location shown on the sketch:

On \_\_\_\_\_ found a \_\_\_\_\_  
DATE

left monument as found,  lowered monument,  removed monument (explain)

On \_\_\_\_\_ placed a \_\_\_\_\_  
DATE

## SKETCH OF REFERENCE TIES



Filed under N. W. Corner Section 1, T 38 R 32

Certificate # 151880

March 1979

*Also See Next Page*

*Certificate # 147084*

Statement of evidence relative to this corner location is on back of page.

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

\_\_\_\_\_  
SIGNATURE DATE

Registration No. \_\_\_\_\_

Land Surveyor,  Professional Engineer

County Surveyor,  County Engineer

OFFICE OF THE REGISTER OF DEEDS

County of \_\_\_\_\_

I hereby certify that this document was filed in the Reg. of Deeds office at \_\_\_\_\_ .M. on the \_\_\_\_\_ day of \_\_\_\_\_ A.D., 19 \_\_\_\_

Register of Deeds \_\_\_\_\_

By \_\_\_\_\_, Deputy

DOCUMENT NO. \_\_\_\_\_

# CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Northeast Corner of Section 2, Township 38, Range 32, \_\_\_\_\_ P.M.  
STATE OF MINNESOTA, County of Benton

At the corner location shown on the sketch:

- On 6-23-1977 found a 1/2" iron pipe  
DATE
- left monument as found,  lowered monument,  removed monument (explain)
- On \_\_\_\_\_ placed a \_\_\_\_\_  
DATE

## SKETCH OF REFERENCE TIES



*Refer to next page*

Statement of evidence relative to this corner location is on back of page.

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

William F. Lusser 6-23-1977  
SIGNATURE DATE

Registration No. 9394

- Land Surveyor,  Professional Engineer
- County Surveyor,  County Engineer

OFFICE OF THE REGISTER OF DEEDS  
County of Benton *County Recorder*

I hereby certify that this document was filed in the Reg. of Deeds office at 9 A.M. on the 20th day of December A.D., 19 77


Register of Deeds F.A. Johnson  
By *County Recorder*, Deputy

DOCUMENT NO. 147084

# CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

I hereby certify that on the 23 day of June, 1977  
I did find the northeast corner of Section 2,  
Twp. 38, Rg. 32, Benton County, Minnesota, which  
was evidenced by 1/2" iron pipe

I further certify that in order to perpetuate said corner I did  
at the exact location thereof place a permanent marker consisting  
of left as it was and that  
I did establish witness or reference monuments as shown below:



I hereby certify that the above is true and correct and that I am a registered Land Surveyor under the laws of the State of Minnesota.  
William F. Johnson

Minn. Registration No. 9394

147084  
County Recorder  
Office of the ~~Register of Deeds~~,  
Benton County, Minn.

I hereby certify that the within instrument was filed for record in this office on the 20 day of December, 1977 at 9 A.M.

F.G. Johnson  
~~Register of Deeds~~ County Recorder

By \_\_\_\_\_ Deputy.