

Certified, Filed and or Recorded on  
Sep. 23, 2008 AT 01:33PM



Signed: BW  
MARILYN J NOVAK G V J  
BENTON COUNTY MINNESOTA  
MARILYN J NOVAK  
COUNTY RECORDER

### CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

NE Corner of Section 10, Township 38, Range 32  
4TH Principal Meridian, State of Minnesota, County of Benton

At the corner location shown on the sketch:

- On 8-14-08 found a CAST IRON MON
- left monument as found       lowered monument       removed monument (explain)
- On \_\_\_\_\_ placed an \_\_\_\_\_



Statement of evidence for this corner location is on back of this page.

I hereby certify that this document was researched and prepared by me or under my direct supervision and that I am a licensed Land Surveyor under the laws of the State of Minnesota.

Signature [Handwritten Signature]  
Deputy County Surveyor  
License No. 43932

Date: 8/29/08

**Statement of Evidence:**

**E102**

The Northeast Corner of Section 10, Township 38 North, Range 32 West, West Langola Township, 4<sup>th</sup> Principal Meridian, Benton County, Minnesota.

- 1852 Original US General Land Office surveyor, Edwin James, Jr., set a post in a mound at the corner location with a pit 8 links south.
- 1977 William Lunser, LS 9394, found a 3/4" iron pipe and filed a Certificate of Location (#147081). This corner is 2739.72' south of the East 1/4 corner of Section 3.
- 1978 Paul Wellen, LS 10461, notes in Book 10, page 116 a distance of 2646.71 feet to the East 1/4 corner of Section 10.
- 1989 William Lunser set a cast iron monument at the location of the 3/4" iron pipe and filed a Certificate of Location (#15969).
- 2002 Westwood Professional Services, Inc. found a cast iron monument. We found no ties as trees have been cut away from the road.  
County Coordinates obtained by GPS to CIM  
NAD 83 (1996 Adjustment)  
N-190835.779  
E-435414.861
- 2008 Westwood Professional Services, Inc. found a cast iron monument. Coordinates obtained by RTK GPS coincide with 2002 position.

# CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Northeast Corner of Section 10, Township 38, Range 32, 4<sup>th</sup> P.M.

STATE OF MINNESOTA, County of Benton


At the corner location shown on the sketch:

On 11-20-89 found a \_\_\_\_\_  
DATE

left monument as found,  lowered monument,  removed monument (explain)

On 11-20-89 placed a Benton County Cast Iron Mon.  
DATE

### SKETCH OF REFERENCE TIES



Statement of evidence relative to this corner location is on back of page.

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

William J. Lerner 1/5/90  
SIGNATURE DATE

Registration No. 9394

- Land Surveyor,  Professional Engineer
- County Surveyor,  County Engineer

### OFFICE OF THE REGISTER OF DEEDS

County of \_\_\_\_\_

I hereby certify that this document was filed in the Reg. of Deeds office at \_\_\_\_\_ .M. on the \_\_\_\_\_ day of \_\_\_\_\_ A.D., 19 \_\_\_\_\_

Register of Deeds \_\_\_\_\_

By \_\_\_\_\_, Deputy

DOCUMENT NO. \_\_\_\_\_

Statement of Evidence:

6-23-1977 Lunser Survey Co. Found a 3/4" iron pipe at  
 $\frac{1}{4}$  corner location, took ties and filed a  
certificate of location with the county recorder.

11-20-1989 Found the 3/4" iron pipe at the same location  
as in 1977 and placed a cast iron mon.

1 9 5 9 6 9

OFFICE OF  
BENTON COUNTY RECORDER  
BENTON COUNTY, MN  
CERTIFIED TO BE FILED  
AND/OR RECORDED ON

JAN 11 8 37 AM '90

ALICE G. ENGELMEYER  
COUNTY RECORDER

BY *Jew* DEPUTY

# CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

Northeast Corner of Section 10, Township 38, Range 32, \_\_\_\_\_ P.M.

STATE OF MINNESOTA, County of Benton


At the corner location shown on the sketch:

On 6-23-1977 found a \_\_\_\_\_ evidenced by 3/4" iron pipe  
DATE

left monument as found,  lowered monument,  removed monument (explain)

On \_\_\_\_\_ placed a \_\_\_\_\_ left as it was  
DATE

## SKETCH OF REFERENCE TIES



*Refer to next page*

Statement of evidence relative to this corner location is on back of page.

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

William F. Lusser 6-23-1977  
SIGNATURE DATE

Registration No. 9394

Land Surveyor,  Professional Engineer

County Surveyor,  County Engineer

OFFICE OF THE REGISTER OF DEEDS

County of Benton

*County Recorder*

I hereby certify that this document was filed in the Reg. of Deeds office at \_\_\_\_\_ .M. on the 20th day of December A.D., 19 77

Register of Deeds Ed. Johnson


By \_\_\_\_\_, Deputy

DOCUMENT NO. 147081

# CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

I hereby certify that on the 23 day of June, 19 77  
 I did find the northeast corner of Section 10,  
 Twp. 38, Rg. 32, Benton County, Minnesota, which  
 was evidenced by 3/4" iron pipe

I further certify that in order to perpetuate said corner I did  
 at the exact location thereof place a permanent marker consisting  
 of left as it was and that  
 I did establish witness or reference monuments as shown below:



147081

I hereby certify that the above is true and correct and that I am a registered Land Surveyor under the laws of the State of Minnesota.

William F. Jensen

Minn. Registration No. 9394

County Recorder

Office of the ~~Register of Deeds~~,  
Benton County, Minn.

I hereby certify that the within instrument was filed for record in this office on the 20 day of December, 1977 at 9 A.M.

F.A. Johnson  
 Register of Deeds

By County Recorder Deputy.