

A 361361

Certified, Filed and or Recorded on
Oct. 31, 2008 AT 08:34AM


Signed: JL
MARILYN J NOVAK G V
BENTON COUNTY MINNESOTA
MARILYN J NOVAK
COUNTY RECORDER

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

NORTHEAST Corner of Section 15, Township 38, Range 32
4TH Principal Meridian, State of Minnesota, County of Benton

At the corner location shown on the sketch:

- On 8-18-08 found a CAST IRON MON
- left monument as found lowered monument removed monument (explain)
- On _____ placed on _____



Statement of evidence for this corner location is on back of this page.

I hereby certify that this document was researched and prepared by me or under my direct supervision and that I am a licensed Land Surveyor under the laws of the State of Minnesota.

Signature [Handwritten Signature]
Deputy County Surveyor
License No. 43932

Date: 10/14/08

Benton County Surveyor's Office
 Chris Hoglund, Deputy County Surveyor
 Minnesota License No. 43932

Statement of Evidence:

E152

The Northeast Corner of Section 15, Township 38 North, Range 32 West, West Langola Township, 4th Principal Meridian, Benton County, Minnesota.

1852 Original US General Land Office survey set a post in a mound at the corner location with a Pit South 8 links.

This corner is tied into the following plats

<i>CHRISTLS ISLAND VIEW TERRACE</i>	11/6/1962	Milner W. Carley
<i>PETRON ESTATES</i>	8/22/1980	Paul Wellen
<i>ROLLING OAKS RIVER ESTATES</i>	April 1973	Milner W. Carley

1979 Paul Wellen, LS 10461, found a 1/2" X 18" iron pipe in the centerline of a road running north/south and a road east. A Certificate of Location (#155147) was filed. This location fits with several plats and metes and bounds surveys. He set a cast iron monument.

2001 Westwood Professional Services, Inc. found a pipe with a cast iron monument at the intersection of the centerlines of 65th Avenue (running north and south) and a road (running east).

2002 Westwood Professional Services, Inc. obtained by GPS:
 County Coordinates (CIM)
 NAD 83 (1996 Adjustment)
 N-185546.242
 E-435600.024

2008 Westwood Professional Services, Inc. found a CIM at this location. CIM is accepted as marking the obliterated corner position. Observation by GPS confirms 2002 coordinates.

CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

I did find the North^{east} Corner of Section 15, Township 38, Range 32, _____ P.M.

STATE OF MINNESOTA, County of Benton

At the corner location shown on the sketch:

On _____ found a a 1/2" x 18" iron pipe in the center line inter

sections of a township road north and south and a township road east, and a
filled road left monument as found, lowered monument, removed monument (explain)
to the west. This location fits the recorded plats in the area & several

notes & bounds legal descriptions. On _____ placed a per,ament marker consisting of Benton County
Cast Iron Monument

SKETCH OF REFERENCE TIES No ties available



Refer to next page

Statement of evidence relative to this corner location is on back of page.

I hereby certify that this document and the data contained herein was prepared by me or under my direct supervision.

Paul E. Wellen
SIGNATURE DATE

Registration No. _____

Land Surveyor, Professional Engineer

County Surveyor, County Engineer

County Recorder
~~REGISTER OF DEEDS~~
OFFICE OF THE REGISTER OF DEEDS
County of Benton

I hereby certify that this document was filed in the Reg. of Deeds office at 9 A: .M. on the 1st day of February A.D., 19 80
County Recorder F. A. Johnson
Register of Deeds

By _____, Deputy

DOCUMENT NO. 155147


CERTIFICATE OF LOCATION OF GOVERNMENT CORNER

14-98

I hereby certify that on the 24 day of October, 1979
I did find _____ the Northeast corner of Section 15,
Twp. 38, Rg. 32, Benton County, Minnesota, which
was evidenced by a 1/2" x 18" iron pipe in the centerline intersections
of a township road north & south and a township road east, and a field road
to the west. This location fits the recorded plats in the area and several
metes and bounds legal descriptions.

I further certify that in order to perpetuate said corner I did
at the exact location thereof place a permanent marker consisting
of Benton county Cast Iron Monument and that
I did establish witness or reference monuments as shown below:

No ties available



I hereby certify that the above
is true and correct and that I am
a registered Land Surveyor under
the laws of the State of Minnesota.

Paul Miller

Minn. Registration No. 10461

Office of the County Recorder,
Benton County, Minn.

I hereby certify that the within instrument
was filed for record in this office on the
1st day of February, 1980
at 9 A.M.

F.A. Johnson
County Recorder

By _____ Deputy.